
			0	₩	A		
	ØS						
			LAYOUT SHOWN A	AS EXAMPLE			
	Keying Shown as example						
CHARACTERISTICS -Standard : Based on MIL-DTL-38999 Series III	Connector dimensior Dim Nom						
-Shell Material : Composite	ØS 25 N	lax]		
-Shell Plating : Nickel	Z' 31.5 VV THREAD M15x		SOURIAU shall not be liable for any non-conformity or damage due to a use of the Products which does not comply with the Specifications issued by either of the Parties or by a third party				
-Insulator : Thermoplastic							
-Contacts : Copper Alloy			(professional recommendation, technical notice.)				
-Seals & Grommet : Silicon Elastomer			Country Jurisdiction & Control List				
-Contact Plating : Gold over copper Alloy 0.8µm minimu	m	r	FR Not Listed				
-Durability : 500 Mating cycles							
-Delivered with Souriau contacts and Accessories			PN: 8D511M02SA				
-Temperature Range : -65°C to +200°C		A 16-	10-2016 First Release				
-Salt Spray : 2000 hours							
Mass : 14.1 g ± 10%		ISS Designed By	DATE Latest modification - by Date:	CUSTOMER DR	MOD N°		
		TIT		Composite Plug 8D series			
l	M 02 S A	SCALE	General line Tolerances		DJECT		
SHELL TYPE : Plug with RFI Shielding		NA			nt is the property of		
CONTACT TYPE : Standard Crimp Contact ORIENTATION : A			SOURIAU WWW.SOURIAU.COM SOURIAU it must not be reproduced or				
	CONTACT TYPE : SOCKET(500 Matings)				communicated without permission		
SHELL SIZE : 11		1					
SHELL SIZE : 11 PLATING : M = Nickel	CONT	ACT LAYOUT : 11-02		NU DRG N° M02SA-C	SHEET		

r	Ŧ	۵	т	m	D	0	
		Contact Layout					
4	 (2)	+Y IB IA +Y +X 95 -Y .095 (2.4imm)					
	Cont positi ID A B Shell Arrangement no. 11 -2	X-axis Y-axis (mm) (mm) + .095 (2.41) +.000 (.00) 095 (2.41) +.000 (.00)					
ω							
	+					SOURIAU shall not be liable for due to a use of the Products the Specifications issued by eithe (professional recommer	s w er (
N						PN: 8D51	
					A 16-10-20 ISS DATE Designed By:	16 First Release Latest modification - by Date:	
_					TITLE SCALE NA	Com General line Tolerances	ar
					SOURIA		J.(
					FORMAT A3	SOURIA 8D511	
L	Н	G	F	E	D	С	



 \triangleright

σ