

NOTES:

MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, 5µ GOLD PLATING

OPERATING TEMPERATURE:

.XX ±0.13 .XXX ±0.05

-55°C ~ 125°C

POWER CONTACT CURRENT RATING: 20A POWER CONTACT SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. **INSULATOR RESISTANCE:** 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE:


			SW REFERENCE NO.: 627 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/20 ⁻	19	
			CHECKED:	DATE:		
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 627W2W	K2122-3N2	ISSUE	
YOUR CO	NNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 627W2W	K2122-3N2	1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



1000V AC rms



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

47.05

23.53

3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female



27W2 Male/Female



21W1 Male/Female

16.6

	7.84	ŧ		
			11W1	I Male/Female
	8W8 Female			33.30
47.06 - 23.53 - 14.45 - 14.45 - 90 - 92 ²⁰		63.50 22.83 22.97 → → → → → → → → → → → → → → → → → → →		
			17W2	2 Male/Female
CURRENT RATIN 10A / 2.2				+= 47.05 =+
20A / 3.3 30A / 3.7 40A / 4.2			¥7	23.63 13.85
			COMBINATION	I D-SOR
ERIES FULLY CONFORMS TO UROPEAN UNION DIRECTIVES 5/EU FOR RoHS COMPLIANCY.			EDAC INC TORONTO, ONTARIO CANADA	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS

63.50

31.75

22.97



THIS SEF THE EUF 2011/65/EU FOR RoHS COMPLIANCY.

	ARE THE PROPERTY OF EDAC INC., AND			
COMBINATION	I D-SUB	DRAWN: C.B	DATE: JAN. 01/20)19
	CHECKED: DATE:			
EDAC INC		SCALE: N.T.S	SHEET 3 OF	4
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 627W2	VK2122-3N2	ISSUE
YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 627W2	VK2122-3N2	1

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.







25W3 Male



47.00

23.53







36W4 Female





13W3 Male


3

3









13W6 Male



43W2 Male





.X ±0.25 .XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female



17W5 Male


COMPLIANT





2.77







			SW REFERENCE NO.: 627 COMBO ASSEMBLY		
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC	OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE		DRAWING NUMBER: 627W2WK2122-3N2		ISSUE
			PART NUMBER: 627W2W	627W2WK2122-3N2	