

DK-93007-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Name and address of the applicant

Name and address of the manufacturer

Name and address of the factory

Ratings and principal characteristics

Note: When more than one factory, please report on page 2

Power Supply

VOX POWER LTD Unit 2 Redcow Interchange Estate Dublin, 22 Ireland

VOX POWER LTD Unit 2 Redcow Interchange Estate Dublin, 22 Ireland

PANYU TRIO MICROTRONICS CO LTD SHIJI INDUSTRIAL ESTATE DONGYONG NANSHA GUANGZHOU GUANGDONG 511453 CHINA

Additional Information on page 2

See Page 2

Trademark / Brand (if any)

Vox-Power



Type of Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

Additional information (if necessary may also be reported on page 2)

A sample of the product was tested and found to be in conformity with

As shown in the Test Report Ref. No. which forms part of this Certificate

NEVO+1200S-abcdefgh-zzzz, NEVO+1200SL-abcdefgh-zzzz See Page 2

Additionally evaluated to EN 60950-1: 2006 / A11: 2009 / A1: 2010 / A12: 2011 / A2: 2013; National Differences specified in the CB Test Report.

Additional Information on page 2

IEC 60950-1:2005/AMD1:2009, IEC 60950-1:2005/AMD2:2013, IEC 60950-1:2005

E316486-A6-CB-3 issued on 2020-02-24, E316486-A6-CB-3 issued on 2020-02-10

This CB Test Certificate is issued by the National Certification Body



Jan-Erik Storgaard

Ref. Certif. No.

DK-93007-UL



Model Details:

 $NEVO+1200S-abcdefgh-zzzz, NEVO+1200SL-abcdefgh-zzzz\ where:$

a-h (indicating slots A to H respectively) = 0,1,2, 3, 4, 5, 6, 7 or 8;

(where 0=No Module (blanking plate fitted); 1=OP1, 2=OP2; 3=OP3, 4=OP4, 5=OP5, 6=OP6, 7=OP7, 8=OP8).

May also be followed by up to 4 alphanumeric characters zzzz indicating non-safety related information.

Output Modules:

OP1; OP2; OP3; OP4; OP5; OP6; OP7, OP8.

Ratings: Input: 100-240Vac, 12A max., 50-60Hz

Maximum output power: NEVO+1200S-abcdefgh-zzzz: 1200W. NEVO+1200SL-abcdefgh-zzzz: 900W

Individual outputs rated according to modules fitted.

Output Module Output Ratings:

OP1=1.5-7.5Vdc, 25A, 125W. OP2=4.5-15Vdc, 15A, 150W. OP3=9-30Vdc, 7.5A, 150W. OP4=18-58Vdc, 3.75A, 150W. OP5=5-15Vdc, 5A, 75W and/or 5-15Vdc, 5A, 75W. OP6=1.8-5Vdc, 5A, 25W and/or 1.8-5Vdc, 5A, 25W. OP7=5-15Vdc, 5A, 75W and/or 1.8-5Vdc, 5A, 25W. (OP5, OP6 & OP7 may have either 1 or 2 outputs) OP8=dual output 2x 24Vdc, 3.125A (2 x 75W) 150W total

All output module current and power ratings are the maximum allowable.

