ABSOCIATION CONNECTING ELECTRONICS INDUSTRIES® INTERNATIONAL AND A TRIES	IPC, Bannock	burn, Illinois. A	ll rights reserved un ntions.	nder both	This docum level parts, t	ent is a declar the declaration	ation of the an encompass	substances es all lowe	within the man r level material	ufacturer listed s for which the	d item. I e manuf	Note: if the acturer has	e item is an ass s engineering r	embly with lower esponsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				e*	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					als and Mfg Information				
Supplier Information															
Company name*	Company un	Company unique ID			Unique ID Authority					Response Date*					
onsemi												2023-06-08			
Contact Name		Title - Conta	Title - Contact			Phone - Contact*				Emai	Email - Contact*				
Product-Env-Stewards	Product Envi	Product Enviro Compliance			NA				Prod	Product-Env-Stewards@onsemi.com					
Authorized Representative*	Title - Repres	Title - Representative			Phone - Representative*				Emai	Email - Representative*					
Product-Env-Stewards	Product Enviro Compliance				NA				Prod	Product-Env-Stewards@onsemi.com					
Requester Item Number	Mfr Iter	n Number	Mfr Item Name			Effective Da	e Date Version Manufacturing Site		Site	Weig	ht*	UOM	Unit Type		
	AX-SFU TX30			RF-Microcontroller		2023-06-08]	PHG		87.9		mg	Each	
Manufacturing Proccess Informa	ation							·							
Terminal Plating / Grid Array M	Iaterial '	Ferminal Base Alloy		-STD-020 MS	L Rating	Peak Pr	ak Process Body Temperature M		e Max Time at Peak Tempera		rature	ture Number of Reflow Cycles		es	
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy 1				260		C	30		seconds 3				
Comments															
evel 1 - maximum time at peak temperat	ure during so	dering is 10-3	0 seconds												
for more information regarding materia	l composition	please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted								
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	8.0	mg	Supplier	Silicon (Si)	7440-21-3		8	mg	
Die Attach	1.25	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.25	mg	
			Supplier	Silver (Ag)	7440-22-4		1	mg	
Lead Frame	50.35	mg	Supplier	Silver (Ag)	7440-22-4		1.3594	mg	
			Supplier	Tin (Sn)	7440-31-5		0.1208	mg	
			Supplier	Zinc (Zn)	7440-66-6		0.0957	mg	
			Supplier	Chromium (Cr)	7440-47-3		0.146	mg	
			Supplier	Copper (Cu)	7440-50-8		48.628	mg	
Mold Compound-Black	26.0	mg		Epoxy Phenol Resin	proprietary data		2.73	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		23.27	mg	
Plating	1.8	mg	Supplier	Palladium (Pd)	7440-05-3		0.0432	mg	
			В	Nickel (Ni)	7440-02-0		1.584	mg	
			Supplier	Gold (Au)	7440-57-5		0.1728	mg	
Wire Bond - Au	0.5	mg	Supplier	Gold (Au)	7440-57-5		0.5	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).