


T495B106M010ATA1K2


T495 Auto, Tantalum, MnO2 Tantalum, 10 uF, 20%, 10 VDC, SMD, MnO2, Molded, Low ESR, Auto, AEC-Q200, 1.2 Ohms, 3528, Height Max = 2.1mm





ANODE (+) END VIEW





Click <u>here</u> for the 3D model.

Dimensions

- Footprint 3528
- L 3.5mm +/-0.2mm
- W 2.8mm +/-0.2mm
- H 1.9mm +/-0.2mm
- T 0.13mm REF
- S 0.8mm +0.1/-0.3mm
- F 2.2mm +/-0.1mm
- A 1.9mm MIN
- B 0.4mm +/-0.15mm
- E 2.2mm REF
- G 1.8mm REF
- P 0.5mm REF
- R 1mm REF
- X 0.1mm +/-0.1mm

Packaging Specifications

Packaging T&R, 178mm

Packaging Quantity 2000

General Information

Series	T495 Auto
Dielectric	MnO2 Tantalum
Style	SMD Chip
Description	SMD, MnO2, Molded, Low ESR, Auto, AEC-Q200
Features	Low ESR, Automotive
RoHS	Yes
Termination	Tin
Qualifications	AEC-Q200
AEC-Q200	Yes
Component Weight 107.45 mg	

Specifications

Capacitance	10 uF
Capacitance Tolerance	20%
Voltage DC	10 VDC (85C), 6.7 VDC (125C)
Temperature Range	-55/+125°C
Rated Temperature	85°C
Dissipation Factor	6% 120Hz 25C
Failure Rate	N/A
Resistance	1200 mOhms (100kHz 25C)
Ripple Current	266 mA (rms, 100kHz 25C), 239.4 mA (rms, 85C), 106.4 mA (rms, 125C)
Leakage Current	1 uA (5min 25°C)

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty

concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.

Generated 5/18/2023 - 1a3109f1-39ea-4852-8428-f6abdae945c4 © 2006 - 2023 KEMET Generated 5/18/2023 - 1a3109f1-39ea-4852-8428-f6abdae945c4 © 2006 - 2023 KEMET