


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER


(1)

ORIGINAL





## NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

	SW REFERENCE NO.: 628 COMBO ASSEMBLY			
COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	19
		CHECKED:	DATE:	
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-21W1224-4NB		ISSUE
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-21W	1224-4NB	1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

1



3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female






21W4 Male/Female

47.05 23.63 - 14.49 - 14.49		33.30 		53.50 31.75 90 - 9.70 + + + + + + + + + + + + + + + + + + +
		11W1 Male/Female	27W2 Male/Female	e
	8W8 Female			83.50 31.75 15.24 ++++++++++++++++++++++++++++++++++++
		17W2 Male/Female	21W1 Male/Female	e
CURRENT RATING 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	στ ψΑ			47.05 23.63 40 40 40 40 40 40 40 40 40 40
			SW REFERENCE NO.: 628 C	OMBO ASSEMBLY
		DATE: JAN. 01/2019		
		THESE DRAWINGS AND SPECIFICATIONS	CHECKED:	DATE:
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES		IC ARE THE PROPERTY OF EDAC INC.,AND   NTARIO SHALL NOT BE REPRODUCED,OR COPIED	SCALE: N.T.S DRAWING NUMBER: 628-21W	SHEET 3 OF 4 1224-4NB ISSU

5W5 Female

5W5 Male

2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25





9W4 Male



25W3 Male



47.02 23.53 14.51 9.70 7.79 김 영




36W4 Female



13W3 Male



36W4 Male







13W6 Male



43W2 Male






17W5 Female

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female




17W5 Male


COMPLIANT



47W1 Male







			SW REFERENCE NO.: 628 COMBO ASSEMBLY		
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
			DRAWING NUMBER: 628-21W1224-4NB		ISSUE
			PART NUMBER: 628-21W	1224-4NB	1