



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER	
ORIGINAL	(1)





	_
	Ī
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

NOTES:

MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

ſ		SW REFERENCE NO.: 628 COMBO ASSEMBLY				
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19		
		CHECKED:	DATE:			
[	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
		SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-24W	7224-2T4	ISSUE	
	YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 628-24W	7224-2T4	1	




THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female






(1)

1

21W4 Male/Female







	$\phi$			↓ + <b>↓</b> + <b></b>		<del>•</del> ••• <del>•</del> •• ↓ <u>2</u> .77	Ŷ
			11W1	Male/Female	27W2 Male/Femal	e	
47.06 23.03 4.49 0 0 0 0 0 0 0 0 0 0 0 0 0	8W8 Fem	ale 31.75 22.83 22.87 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 31.75 22.87 31.75		33.30 16.60 9.70		63.50 31.75 +++++++ ++++++++++++++++++++++++++++	- 
			17W2	2 Male/Female	21W1 Male/Femal	e	
CURRENT RATING 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	/ ØA			47.05 23.05 13.85 0 0 0 0 0 0 0 0 0 0 0 0 0		47.05 23.03 24.04 25.05	Þ
						OMBO ASSEMBLY	
		COMBIN	ΑΤΙΟΝ	D-SUB	DRAWN: C.B	DATE: JAN. 01/20	)19
				·	CHECKED:	DATE:	
SERIES FULLY CONFORMS TO				THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND	SCALE: N.T.S	SHEET 3 OF	
				SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-24W	7224-2T4	ISSUE

5W5 Male


5W5 Female



8W8 Male



33.30



THIS SI THE EU 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT

8.38

		SW REFERENC	E NO.: 628 C	OMBO AS	SEMB
COMBINATION	D-SUB	DRAWN: C.B		DATE:	JAN. 0
		CHECKED:		DATE:	
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S	3	SHEET	3
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUM	BER: 628-24W7	'224 <b>-</b> 2T4	ļ
YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER:	628-24W7	'224-2T4	ļ

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25







25W3 Male









36W4 Female





13W3 Male



36W4 Male








13W6 Male



43W2 Male








43W2 Female

47W1 Female



17W5 Male


COMPLIANT






2.77







		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
		CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-24W	7224-2T4	ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-24W	7224-2T4	1





.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female

