Mounting Option Contact Detail THIS IS A C.A.D. GENERATED DRAWING	0 [	ISSUE NUMBER	
In-Line Card Guides Wire Wrap .046x.013(1.17x0.33) - Tail LG=.708(17.98)  DO NOT MAKE MANUAL REVISIONS TO MAKE MANUAL REV	STER.	ORIGINAL (1	)
.156 [3.96] Contact Spacing x .200 [5.08] Row Spacing			
		I	
6.716[170.59]			
6.862[174.29]			
6.716[170.59] 6.862[174.29] 7.148[181.56]			
o i	0.1		
	21	ECTION A-A	
		$\bigcap$	
	.095 [2.41] Point of Cont		
	(FROM BTM OF SLOT)	.act	
	ard Slot Accepts .054 [1 .070 [1.78] Thick P.C. B	1.37]	
7.458[189.43]	.0/0 [1./0] ITIICKT .C. D	Jara	
	ACAD REFERENCE	NO 207 ENG MASTE	_
307 / 357 Card Edge Connector			
See Accompanying Pages for: Part Number: 357-084-440-278	DRAWN: J.LEE CHECKED:	DATE: AUG. 11/09 DATE:	-
Contact Bend Details     EDAC INC THESE DRAWINGS AND SPECIFICATIONS		SHEET 1 OF 3	_
Mounting Options     TORONTO, ONTARIO  ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIEL TORONTO, ONTARIO  ONTARIO  ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIEL TORONTO, ONTARIO  ONT			
CANADA OR USED AS THE BASIS FOR THE	DIVAMING MOMBER	ISSUE	



