

Specification Sheet

Part Number: 380-03005



Heat Shrink Tubing, 3:1 Assorted Universal Kit, assorted Dia, color & lengths, PO, Assorted Colors, 177 pcs/pkg

| Article Number | 380-03005 |
|---------------------|---|
| Туре | ShrinKit 321 Universal Basic |
| Color | White (WH) Blue (BU) Red (RD) Green-Yellow (GNYE) Black (BK) |
| Features & Benefits | • The assorted universal kit contains 177 pieces of assorted color polyolefin heat shrink tubing invarious diameter sizes and lengths. • The 3 to 1 shrink ratio covers a wide range of components, sizes and shapes. • Material is self-extinguishing, for use in applications in which non- flammable materials are required. |
| Quantity Per | kit |

| Product Description | Heat shrink kits are a convenient solution for "on-the-job" projects. This 3 to 1 shrink ratio tubing features a flexible, thin wall to cover a wide range of components, sizes and shapes. The polyolefin material has a higher operating temperature range than general-use heat shrink tubing. Theassorted universal kit contains an assortment of colored tubing in variety of diameter sizes and lengths. |
|---------------------|--|
| Short Description | Heat Shrink Tubing, 3:1 Assorted Universal Kit, assorted Dia, color & lengths, PO, Assorted Colors, 177 pcs/pkg |
| Global Part Name | ShrinKit 321 Universal Basic-PO-X-MIX |
| Variant | Thin-Wall |
| | |
| Material | Polyolefin, cross-linked (PO-X) |
| Material Shortcut | PO-X |
| Flammability | Self-Extinguishing |

ROHS Complaint Yes

-67°F to +275°F (-55°C to +135°C)

No

Yes

Certification/Specification WEB SAE - AMS - DTL-23053/5 Class 1

Halogen free

Operating Temperature (Metric)

Reach Complaint(Article 33)

| Package Quantity(Imperial) | 1 |
|----------------------------|------------|
| Package Quantity (Metric) | 1 |
| Customs Number | 3926909987 |
| Content Unit(BMEcat) | pcs. |
| Weight (Metric) | 0.16 |

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions

 $[\]hbox{@}$ 2019 HellermannTyton. All Rights Reserved.