


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER


ORIGINAL

(1)






NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



2W2 / 2WK2

5W5 Male

5W5 Female

3W3 / 3WK3

8W8 Male







(1)

21W4 Male/Female



27W2 Male/Female



21W1 Male/Female

DATE:

627-3WK3222-1N2

627-3WK3222-1N2

SHEET 3


DATE: JAN. 01/2019


OF 4

ISSUE

1

	11W1	Male/Female
8W8 Fem	ale	
47.05 - 23.53 - 14.45 - 14.	53.50 31.75 22.83 22.87 → → → → → → → → → → → → → → → → → → →	
	17W2	2 Male/Female
CURRENT RATING / ØA		
10A / 2.2 20A / 3.3		47.05
20A / 3.3 30A / 3.7 40A / 4.2	**************************************	
	COMBINATION	D-SUB
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.





DRAWN: C.B

SCALE: N.T.S

PART NUMBER:

DRAWING NUMBER:

CHECKED:


COMPLIANT

47.0/

23.53

COMBINATION D-SUB

63.50




7W2 Male/Female

11W1 Male/Female



31.75



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25



25W3 Female


36W4 Female





25W3 Male







47.02 23.53 14.51 9.70 8 82 7.79 33








13W3 Male





20.70 30.50 13.72 16.62 15.24




30.50 20.70 16.62 13.72 2.77

13W6 Male




43W2 Male






17W5 Female





47W1 Female




17W5 Male


COMPLIANT



47W1 Male



..... 31.76 2.77 11.08



	COMBINATION D-SUB		SW REFERENCE NO.: 627 COMBO ASSEMBLY		
			DRAWN: C.B	DATE: JAN. 01/20)19
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
			DRAWING NUMBER: 627-3WK	3222-1N2	ISSUE
			PART NUMBER: 627-3WK	3222-1N2	1

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female

43W2 Female