

- NOTES:**
- MATERIAL:**
 - HOUSINGS: LCP UL94, V-0, COLOR: BLACK
 - TERMINALS: HIGH CONDUCTIVITY COPPER ALLOY
 - PLATING: 1.27 MICROMETER (50 MICROINCH) NICKEL OVERALL WITH 2.54 MICROMETER (100 MICROINCH) SELECTIVE TIN ON TAILS AND 0.762 MICROMETER (30 MICROINCH) SELECTIVE GOLD ON CONTACT AREA
 - PACKAGING:** ASSEMBLIES TO BE TRAY PACKED PER PACKAGING SPEC: 1710901001-PK
 - PLATED THRU HOLE SIZE,** REFER TO PS-171088-0000 FOR DETAILS
 - PRODUCT SPEC:** PS-171088-0000
 - APPLICATION SPEC:** AS-46436-100
 - PRODUCT TO MEET** RoHS REQUIREMENTS
 - ASSEMBLY MATES TO** MOLEX PLUG ASSEMBLY P/N 171088-**** (SEE TABLE IN SHEET 2)
 - TAIL DESIGN:** COMPLIANT TAILS
 - POWER AND SIGNAL CONTACTS ARE** LUBRICATED.
 - MOLEX LOGO TO BE** LOCATED APPROXIMATELY AS SHOWN.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC: ADDED ISO VIEWS	
mm	3:1		
GENERAL TOLERANCES (UNLESS SPECIFIED)			
ANGULAR TOL	± 0.5°		
4 PLACES	±	EC NO: 689821	2021/12/15
3 PLACES	±	DRWN: KSUTAR	2021/12/22
2 PLACES	± 0.13	CHK'D: GJEEVANSURES	2022/02/14
1 PLACE	± 0.25	APPR: HTHYAGARAJ	
0 PLACES	±	INITIAL REVISION:	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRWN: KSUTAR	2021/09/27
		APPR: HTHYAGARAJ	2021/11/08
THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER
	D-SIZE	171090	SEE TABLE
		CUSTOMER	SHEET NUMBER
		GENERAL MARKET	1 OF 4


moLEX

G-*SP-*S-*SP-G
R/A RECEP ASSY - TEN60 SPLIT POWER

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
1710908430	PSD	000	A1

RECOMMENDED PCB LAYOUT AND KEEP-OUT ZONE FOR G-(1SP TO 5SP)-30S-(1SP TO 5SP)-G




RECOMMENDED PCB LAYOUT AND KEEP-OUT ZONE FOR G-(1SP TO 5SP)-15S-(1SP TO 5SP)-G

REFER TO BELOW TABLE FOR DIMENSIONS.


FG P/N	CONFIGURATION	POWER CKT SIZE	SIGNAL CKT SIZE	DIM "A" (IN MM)	DIM "B" (IN MM)	DIM "C" (IN MM)	DIM "D" (IN MM)	DIM "X" (IN MM)	HOLES COUNT "H1"	HOLES COUNT "H2"	MATES WITH R/A PLUG ASSY P/N
1710908421	G-1SP-15S-1SP-G	1	15	39.21	40.21	8.78	17.71	26.71	20	15	1710888421
1710908422	G-2SP-15S-2SP-G	2	15	55.21	56.21	16.78	25.71	42.71	40	15	1710888422
1710908423	G-3SP-15S-3SP-G	3	15	71.21	72.21	24.78	33.71	58.71	60	15	1710888423
1710908424	G-4SP-15S-4SP-G	4	15	87.21	88.21	32.78	41.71	74.71	80	15	1710888424
1710908425	G-5SP-15S-5SP-G	5	15	103.21	104.21	40.78	49.71	90.71	100	15	1710888425
1710908426	G-1SP-30S-1SP-G	1	30	45.21	46.21	8.78	23.71	32.71	20	30	1710888426
1710908427	G-2SP-30S-2SP-G	2	30	61.21	62.21	16.78	31.71	48.71	40	30	1710888427
1710908428	G-3SP-30S-3SP-G	3	30	77.21	78.21	24.78	39.71	64.71	60	30	1710888428
1710908429	G-4SP-30S-4SP-G	4	30	93.21	94.21	32.78	47.71	80.71	80	30	1710888429
1710908430	G-5SP-30S-5SP-G	5	30	109.21	110.21	40.78	55.71	96.71	100	30	1710888430

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION


DIMENSION UNITS mm	SCALE 4:1	CURRENT REV DESC: ADDED ISO VIEWS	
GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 689821	
ANGULAR TOL	± 0.5°	DRWN: KSUTAR	2021/12/15
4 PLACES	±	CHK'D: GJEEVANSURES	2021/12/22
3 PLACES	±	APPR: HTHYAGARAJ	2022/02/14
2 PLACES	± 0.13	INITIAL REVISION:	
1 PLACE	± 0.25	DRWN: KSUTAR	2021/09/27
0 PLACES	±	APPR: HTHYAGARAJ	2021/11/08
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING
			D-SIZE
		SERIES	171090
DOCUMENT STATUS		MATERIAL NUMBER	CUSTOMER
P1	RELEASE DATE	1710908430	GENERAL MARKET
2022/02/14	09:02:32	DOC TYPE	DOC PART
		PSD	000
		REVISION	
		A1	
		SHEET NUMBER	
		2 OF 4	




P/N: 171090-8421 (G-1SP-15S-1SP-G)




P/N: 171090-8422 (G-2SP-15S-2SP-G)



P/N: 171090-8423 (G-3SP-15S-3SP-G)



P/N: 171090-8424 (G-4SP-15S-4SP-G)



P/N: 171090-8425 (G-5SP-15S-5SP-G)


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: ADDED ISO VIEWS					
mm		4:1							
GENERAL TOLERANCES (UNLESS SPECIFIED)									
ANGULAR TOL ± 0.5°									
4 PLACES ±				EC NO: 689821					
3 PLACES ±				DRWN: KSUTAR		2021/12/15			
2 PLACES ± 0.13				CHK'D: GJEEVANSURES		2021/12/22			
1 PLACE ± 0.25				APPR: HTHYAGARAJ		2022/02/14			
0 PLACES ±				INITIAL REVISION:					
				DRWN: KSUTAR		2021/09/27			
				APPR: HTHYAGARAJ		2021/11/08			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
				D-SIZE		171090		SEE TABLE	
DOCUMENT STATUS				CUSTOMER		SHEET NUMBER			
P1				GENERAL MARKET		3 OF 4			
RELEASE DATE		2022/02/14 09:02:32							

molex


G-*SP-*S-*SP-G
R/A RECEP ASSY - TEN60 SPLIT POWER

PRODUCT CUSTOMER DRAWING


DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
1710908430	PSD	000	A1




P/N: 171090-8426 (G-1SP-30S-1SP-G)



P/N: 171090-8427 (G-2SP-30S-2SP-G)



P/N: 171090-8428 (G-3SP-30S-3SP-G)



P/N: 171090-8429 (G-4SP-30S-4SP-G)

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: ADDED ISO VIEWS							
mm		4:1									
GENERAL TOLERANCES (UNLESS SPECIFIED)											
ANGULAR TOL ± 0.5°											
4 PLACES ±				EC NO: 689821							
3 PLACES ±				DRWN: KSUTAR				2021/12/15			
2 PLACES ± 0.13				CHK'D: GJEEVANSURES				2021/12/22			
1 PLACE ± 0.25				APPR: HTHYAGARAJ				2022/02/14			
0 PLACES ±				INITIAL REVISION:							
				DRWN: KSUTAR				2021/09/27			
				APPR: HTHYAGARAJ				2021/11/08			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
						D-SIZE		171090		SEE TABLE	
								CUSTOMER		SHEET NUMBER	
								GENERAL MARKET		4 OF 4	

molex

G-*SP-*S-*SP-G
R/A RECEP ASSY - TEN60 SPLIT POWER

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
1710908430	PSD	000	A1