Mounting Option In-Line Card Guides		Contact Detail PC Tail .046x.013(1.17x0.33) - Tail LG=.358(9.09) .156 [3.96] Contact Spacing x .200 [5.08] Row Spacing		THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.		Q [	ISSUE NUM		
							ORIGINA	AL ①	
.130 [3.30] Contact Spacing X.2		so [s.oo] now spacing							
<b>—</b>									
+							SECTION A-A		
	0.156[3.96]								
0.500[12.70]		6.560	166.62]						
12		6.706	170.33]———						
8		77.60]							
φ. Θ.		3.772	.,,						
								1	
							H H	-	
	A								
1							わ !		
						\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Ŋ		
-									
	$oldsymbol{arA} \parallel \parallel$					.75 [4.45] Point of Conta	.ct /   <b> </b>		
						ROM BTM OF SLOT)	/		
2.0	Card						371		
3[1		-	to 070			Slot Accepts .054 [1. 0 [1.78] Thick P.C. Bo	ard -	<u> </u>	
0.473[12.01]	7.302[185.47]								
O		307 / 357 Card Edge Connector				ACAD REFERENCE N	O. 307 EN	IG MASTER	
			Part Number: 357-041-427-178			DRAWN: J.LEE	DATE: AU	JG. 11/09	
	See Accompanying Pages f					CHECKED:	DATE:		
<ul><li>Contact Bend Details</li><li>Mounting Options</li></ul>		S	EDAC INC		THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: NTS	SHEET		
		TORONTO, ONTARIO SHALL NOT BE OR USED AS T MANUFACTURE		SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER		ISSUE		
				MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	307 Assembly		1		



