

TRIPP·LITE

Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

USB 3.0 SuperSpeed HDMI / VGA Mini Docking Station with Gigabit Ethernet

MODEL NUMBER: U342-SHG-001











Add USB 3.0, HDMI or VGA, and LAN ports to your laptop through a single USB 3.0 connection

Description

Tripp Lite's U342-SHG-001 is a compact, mini docking station that adds a HDMI or VGA video port, Gigabit Ethernet LAN port, and USB 3.0 port to your laptop, all through a single USB 3.0 connection. Built-in USB cable tucks away for easy transport. Ideal for laptop users who need the ability to use their laptop in a desktop environment, while maintaining the ability to quickly unplug and go. Bus powered...no external power adapter required. Backward compatible to USB 1.1 and 2.0 generations.

Features

- Add a monitor, USB 3.0 port, and Gigabit Ethernet to your laptop
- Portable design with built-in cable is perfect for travel, tucking into your laptop bag when not in use
- Bus Powered...no external power adapter required
- USB 3.0 is 10 times faster than USB 2.0, supporting data transfer rates up to 5 Gbps
- Backward compatible with USB 2.0 and 1.1
- Connect a DVI*, HDMI or VGA monitor or projector
- Supports video resolutions up to 2048 x 1152
- · Automatically resumes from hibernation and suspend modes
- Gigabit Ethernet port supports true 10/100/1000 Mbps network speeds
- A USB 3.0 port is available for the connection of a USB peripheral device
- Compatible with Windows 7, Windows 10 and later and Intel Mac OS X 10.8.5 / Mac 10.11 and later.
 Supports both 32- and 64-bit.
- Compatible with Ubuntu 14.04.2

Highlights

- Connect an external HDMI or VGA monitor to your laptop
- Adds a USB 3.0 and Gigabit
 Ethernet port to your laptop
- Compact design is perfect for travel, fitting easily into a laptop bag pocket

System Requirements

- Supports computers running
 Windows® XP, Vista, 7, 8, 8.1,
 10
- Supports Surface[™] tablets running non-RT Windows 8 or 8 1
- USB port (USB 3.0 port required for USB 3.0 speeds)
- DVI*, HDMI or VGA monitor
- Compatible with Windows 7 and later and Intel Mac OS X 10.8.5
 / Mac 10.11 and later. Supports both 32- and 64-bit.

Package Includes

- U342-SHG-001
- Driver CD
- Owner's Manual



Specifications

037332185341		
Yes		
5.00		
PHYSICAL		
1.60 x 6.50 x 5.40		
4.06 x 16.51 x 13.72		
0.40		
0.18		
Box		
0.67 x 4.9 x 2.1		
0.41		
0.19		
PC, ABS		
Black		
VW-1		
ENVIRONMENTAL		
50 to 104 F (10 to 40 C)		
-4 to 158 F (-20 to 70 C)		
0% to 90 RH, Non-Condensing		
15.4 BTU/Hr		
4.5		
5V 0.9A (4.5W) Output per USB Port		
COMMUNICATIONS		
1Gbps		
802.3az		
CONNECTIONS		
4		
USB 3.0 A (MALE)		





Side B - Connector 1	HDMI (FEMALE)	
Side B - Connector 2	USB 3.0 A (FEMALE)	
Side B - Connector 3	HD15 (FEMALE)	
Side B - Connector 4	RJ45 (FEMALE)	
Connector Plating	Nickel	
FEATURES & SPECIFICATIONS		
Max Supported Video Resolution	2048 x 1152 @60Hz	
HDMI Specification	1.3	
HDCP Specification	1.3	
USB Specification	USB 3.0 (up to 5 Gbps); USB 3.1 Gen 1 (up to 5 Gbps)	
Driver Required	Yes	
Auto MDIX Support	Yes	
Full Duplex Support	Yes	
Technology	Cat5/5e; Cat6; HDMI; USB; USB 3.0 (SuperSpeed); VGA/SVGA	
CERTIFICATIONS		
Certifications	Tested to CE, FCC, RoHS, REACH	
WARRANTY		
Product Warranty Period (Worldwide)	3-year limited warranty	

© 2019 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies