HellermannTyton

Specification Sheet

Part Number: 597-00097



HellermannTyton Signs are designed to meet the needs of most common applications, making sign selection easy and effective. Signs are code and ANSI compliant to meet all municipal requirements.

Includes bar code and part number on sign to assist with reorders.

Danger Sign, 10" x 14", This Machine Starts and Stops Automatically, Vinyl, Red, 25/pkg

| Article Number | 597-00097 |
|---------------------|---|
| Туре | DS1014TMSASA |
| Color | Red (RD) |
| Quantity Per | pack |
| Product Description | HellermannTyton Pre-Printed Safety Signs are made of durable vinyl and are supplied with the most commonly used warnings and alerts. The acrylic adhesive backing is resistant to UV exposure as well as chemicals and solvents. |
| Short Description | Danger Sign, 10" x 14", This Machine Starts and Stops Automatically, Vinyl, Red, 25/pkg |
| Global Part Name | DS1014TMSASA-V-RD |

| Technical Description | DANGER This Machine Starts and Stops Automatically, 10" x 14", 25/pkg |
|------------------------|---|
| | |
| Length L (Imperial) | 14.0 |
| Length L (Metric) | 355.60 |
| Width W (Imperial) | 14 |
| Width W (Metric) | 355.6 |
| Thickness T (Imperial) | 4 |
| Thickness T (Metric) | .10 |
| Height H (Imperial) | 10.0 |
| Height H (Metric) | 254.0 |
| | |
| | |
| Material | Vinyl (V) |
| Material Shortcut | V |
| Adhesive | Acrylic |
| Halogen Free | No |

No

UV Resistant (Yes/No)

| Adhesive Operating Temperature | -40°F to +176°F (-40°C to +80°C) |
|--------------------------------|----------------------------------|
| Operating Temperature | -90°F to +186°F (-67°C to +75°C) |
| ROHS Compliant | Yes |
| | |
| Package Quantity (Imperial) | 25 |
| Package Quantity (Metric) | 25 |
| Customs Number | 3919905060 |

© 2021 HellermannTyton. All Rights Reserved. Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions