



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL


(1)







NOTES:




MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms


		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	19
			CHECKED:	DATE:	
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-7W2-624-3ND		ISSUE
			PART NUMBER: 628-7W2-	-624-3ND	1





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

23.53

3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female



/Female



/Female


6.5

		50 ¹⁰	33.50 1500 1000	
		11W1	I Male/Female	27W2 Male/F
	8W8 Female			+
47.05 23.53 a 14.49 b 0 25 a 14.49 a 14.49		5578	3330 19.65 19.55 19.	
†*854†	1 836 1 1-7.84-1	17W2	2 Male/Female	21W1 Male/F
CURRENT RATIN	G / ØA			
10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2		1 24	47.06 23.05 13.85 31270 277 277 277 277 277 277 277 277 277 277 270 2	
				SW REFERENCE NO .:
COMBINATION D-SUB			I D-SUB	DRAWN: C.B
				CHECKED:
ERIES FULLY CONFORMS TO		DAC INC	THESE DRAWINGS AND SPECIFICATIONS	SCALE: N.T.S



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
		COMBINATION D-SUB DRAWN: C.B DATE: JAN. 01/2019 CHECKED: DATE: EDAC INC THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC. AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPRATUS SCALE: N.T.S SHEET 3 OF 4 DRAWING NUMBER: 628-7W2-624-3ND ISSUE			
		CHECKED:	DATE:		
EDAC INC		SCALE: N.T.S	SHEET 3 OF	4	
	OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-7W2	2-624-3ND	ISSUE	
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-7W2	2-624-3ND	1	



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25






9W4 Male




25W3 Male









36W4 Female



13W3 Male



36W4 Male







13W6 Male



43W2 Male




13W6 Female

17W5 Female

.XX ±0.13 .XXX ±0.05


9W4 Female

13W3 Female






47W1 Female





17W5 Male


COMPLIANT



47W1 Male







	SW REFERENCE NO.: 628 COMBO A				30 ASSEMBLY	
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4	
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE		DRAWING NUMBER: 628-7W2-624-3ND		ISSUE	
			PART NUMBER: 628-7W2	-624-3ND	1	