# BGA Heat Sink - High Performance Straight Fin w/maxiGRIP





ATS Part#:

Description:

#### ATS-53400K-C1-R0

 $40.00 \ x \ 40.00 \ x \ 14.50 \ mm \ BGA$  Heat Sink - High Performance Straight Fin w/maxiGRIP

Heat Sink Type:Straight FinHeat Sink Attachment:maxiGRIPEquivalent Part Number:ATS-53400K-C2-R0

\*Image above is for illustration purpose only.

### **Features & Benefits**

- High aspect ratio, straight fin heat sinks that are ideal for compact PCB environments
- maxiGRIP™ attachment applies steady, even pressure to the component and does not require holes in the PCB
- Designed specifically for BGAs and other surface mount packages
- Meets Telcordia GR-63-Core Office Vibration; ETSI 300 019 Transportation Vibration; and MIL-STD-810 Shock Testing and Unpackaged Drop Testing standards
- Comes preassembled with high performance thermal interface material

## **Thermal Performance**

		@200 LFM 1.0 M/S	@300 LFM 1.5 M/S	@400 LFM 2.0 M/S	@500 LFM 2.5 M/S	@600 LFM 3.0 M/S	@700 LFM 3.5 M/S	@800 LFM 4.0 M/S
THERMAL RESISTANCE	Unducted Flow	4.6 °C/W	3.3 °C/W	2.8 °C/W	2.5 °C/W	2.2 °C/W	2.1 °C/W	1.9 °C/W
	Ducted Flow	2.4	N/A	N/A	N/A	N/A	N/A	N/A

## **Product Detail**

Schematic Image	Dimension A	Dimension B	Dimension C	Dimension D	ТІМ	Finish
	40.00 mm	40.00 mm	14.50 mm	N/A mm	T412	BLACK-ANODIZED
Image above is for illustration purpose only.	<ul> <li>Dimension</li> <li>ATS-5340 (Saint-Go</li> <li>Thermal p applicatio</li> <li>ATS reserve performant</li> <li>ATS certifiered</li> <li>Optional pression</li> </ul>	00K-C2-R0 is the ex bain C675). performance data ar n. rves the right to upd nce. fies that this heat sir <b>maxiGRIP™</b> Installa	height from the botto	bly with an equivale ence only. Actual pe oducts without notic S-6 and REACH con Set P/N: <b>MGT170</b>	ent therma rformanc e to impr	al interface material e may vary by

For more information, to find a distributor or to place an order, please contact us at 781-769-2800 (North America), **sales@qats.com** or **www.qats.com**.

