ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES® International and Par	PC. Bannockl	burn. Illinois. A	ll rights reserved untions.	Inder both lev	his docume vel parts, t	ent is a declarat he declaration of	ion of the su encompasse	ubstances s all lowe	within the ma r level materia	nufacturer l ls for which	isted item. Note h the manufactu	: if the item is an a rer has engineering	ssembly with lowe responsibility.	
	21.1 IPC Web Site for Information on IPC-1752 Standard Form http://www.ipc.org/IPC-175x Distri				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater				s Materials a	ials and Mfg Information				
Supplier Information														
Company name*	Company uni	Company unique ID			Unique ID Authority					Response Date*				
nsemi										20	2023-06-08			
Contact Name	t Name Title - Contact				1	Phone - Contact*				Er	Email - Contact*			
roduct-Env-Stewards Product Enviro			ro Compliance			NA				P	Product-Env-Stewards@onsemi.com			
Authorized Representative* Title - Representative			ntative		Phone - Representative*			Er	Email - Representative*					
Product-Env-Stewards Product			oduct Enviro Compliance			NA				P	Product-Env-Stewards@onsemi.com			
Requester Item Number	ter Item Number Mfr Item		Number Mfr Item Name			Effective Date	Version	N	Manufacturing Site		Weight*	UOM	Unit Type	
	NCP161	NCP161BFCS280T2G CSP LDO 450mA		A, Non-Active Disc	charge	2023-06-08		(	CNQ		0.3449	mg	Each	
Manufacturing Proccess Information	tion													
Terminal Plating / Grid Array Ma	Terminal Plating / Grid Array Material Terminal Base Alloy		Alloy	J-STD-020 MSL R	TD-020 MSL Rating Per		Peak Process Body Temperature Max Time at Peak		at Peak Ter	Temperature Number of Reflow Cycles				
SnAgCu CU Alloy			1		260		С	30		seconds 3				
omments														
vel 1 - maximum time at peak temperatu	re during so	Idering is 10-3	0 seconds											
or more information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted					
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all					
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.										
Supplier Digital Signature Ra	stislav Drska	Le								

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select select a RoHS exemption, if applie sigma range of distribution unless	cable [E] enter the weigh	, Requester or Supplier) [B it of the substance or the P	] select the substance of the substance	ance category (JIG or Requester) or [F] Optionally enter the positive (-	enter a value (Supplier). [C] selec -) and negative (-) tolerance in perc	t the substance (JI cent (Note: percer	(G) or enter the substa at tolerance values are	nce and CAS (Other). [D] expected to cover a 3
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.2386	mg	Supplier	Silicon (Si)	7440-21-3		0.2386	mg
Protection coat	0.0085	mg		Polyimide	proprietary data		0.0085	mg
RDL	0.0076	mg	Supplier	Titanium (Ti)	7440-32-6		0.0001	mg
			Supplier	Copper (Cu)	7440-50-8		0.0075	mg
Solder Ball	0.0902	mg	Supplier	Silver (Ag)	7440-22-4		0.0023	mg
			Supplier	Tin (Sn)	7440-31-5		0.0873	mg
			Supplier	Copper (Cu)	7440-50-8		0.0005	mg