ASSOCIATION CONNECTING LECTROMICS INDUSTRIES	Bannockbi	Irn. Illinois, A	ll rights reserved u utions.	nder both	This docum level parts,	ent is a declara the declaration	tion of the encompass	substance es all low	s within the manufactory or level materials for v	urer listed which the	item. Note: manufacture	if the item is an as r has engineering	sembly with lower responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materia					rials and N	als and Mfg Information			
Supplier Information														
Company name*	Company unique ID				Unique ID Authority					Response Date*				
nsemi									2023-0	2023-06-08				
Contact Name	me Title - Contact					Phone - Contact*				Email	Email - Contact*			
Product-Env-Stewards	oduct-Env-Stewards Product Enviro Comp			Compliance		NA			Produ	Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Representative			entative	ntative P		Phone - Representative*			Email	Email - Representative*				
Product-Env-Stewards	Product Enviro Compliance				NA				Produ	Product-Env-Stewards@onsemi.com				
Requester Item Number	Mfr Item Number		nber Mfr Item Name			Effective Dat	e Versior	1	Manufacturing Site		Weight*	UOM	Unit Type	
	NCV8114BSN150T1G 300 mA CMOS L Vout=1.5V, Autor		DO, HZ option motive, TSOP5	,	2023-06-08	MY1			14.08	mg	Each			
Manufacturing Proccess Informatio	n													
Terminal Plating / Grid Array Mater	Grid Array Material Terminal Base Alloy		Alloy J	J-STD-020 MSI	L Rating	Peak Pro	cess Body '	Temperat	ure Max Time at Pea	k Tempera	ature Num	per of Reflow Cy	les	
Matte Tin (Sn) - annealed CU Alloy			1		260		С	30	seco	nds 3				
Comments														
level 1 - maximum time at peak temperature	during solo	lering is 10-3	0 seconds											
For more information regarding material cor	nposition p	lease refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted								
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.42	mg	Supplier	Silicon (Si)	7440-21-3		0.42	mg	
Die Attach	0.11	mg	Supplier	Silver (Ag)	7440-22-4		0.0825	mg	
			Supplier	Epoxy resins	129915-35-1		0.0275	mg	
Lead Frame 5	5.78	mg	Supplier	Silver (Ag)	7440-22-4		0.0705	mg	
			Supplier	Zinc (Zn)	7440-66-6		0.0069	mg	
			Supplier	Iron (Fe)	7439-89-6		0.1358	mg	
			Supplier	Copper (Cu)	7440-50-8		5.565	mg	
			Supplier	Phosphorus (P)	7723-14-0		0.0017	mg	
Mold Compound-Black	7.34	mg		Epoxy resin	proprietary data		0.367	mg	
			Supplier	Phenolic Resin	Proprietary Data		0.367	mg	
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.1468	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.0367	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		6.4225	mg	
Plating	0.39	mg	Supplier	Tin (Sn)	7440-31-5		0.39	mg	
Wire Bond - Au	0.04	mg	Supplier	Gold (Au)	7440-57-5		0.04	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).