


	REVISIONS						
REV ECO DESCRI		DESCRIPTION	DATE	BY APPR			
A1	-	RELEASED DRAWING	Jul-11-19	Ronald	Tommy		







ECO-MATE, CORD GRIP, SIZE 12.

ľ	48.0 REF	 -
Ø21.5	6.0	21.9

NOTES: (UNLESS OTHERWISE SPECIFIED)

1. MATERIAL:

1.1. NUT: ZINC ALLOY.

1.2. BACK SHELL: ZINC ALLOY. 1.3. O-RING: SILICONE RUBBER.

1.4. CABLE SEAL: EPDM.

1.5 EMI SHIELDING RING: STAINLESS STEEL.

1.6 CLAMP INSERT: THERMOPLASTIC UL94 V-0.

2. Rohs Compliant.

3. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.

4. SHELL FINISHED:

P/N	" * "	SHELL FINISHED			
	OMIT	PLATED NICKLE			
RT0S-12CG-NS*-*	Z	black zinc			
	G	green zinc			

P/N	CABLE O.D.			
RTOS-12CG-NS1-*	Ø6.5-Ø10.0mm			
RT0S-12CG-NS2-*	Ø9.0-Ø12.5mm			

QUANTITY	QUANTITY PART NUMBER			DESCRIPTION			ITEM		
	MATERIALS LIST								
	UNLESS OTHERWISE SPECIFIED 1) All dimensions are in metric(mm). 2) Tolerances are as follows: 1 PL DEC ±0.30 2 PL DEC ±0.15 3 PL DEC ±0.15 3 PL DEC ±0.08 3) Note reference = MATERIAL SPECIFICATIONS:		RES	DATE	Amphenol				
2) Tolerances are a			ld	Jul-11-19					
2 PL DEC ±0.15			n	Jul-11-19	44724 Morley Drive Clinton Township, MI 48036				e.com
3) Note reference									
MATERIAL SPECIFICA			19	Jul-11-19					
		CUSTOMER:		ECO-MATE,CORD GRIP,					
			THIS DRAWING IS SUPPLIED FOR INFORMATION ONLY, DESIGN FEATURES.			SIZE 12.			
PROCESS SPECIFICATIONS: NEXT ASS'Y:		SPECIFICATIONS AND PERFORMANCE DATA SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION. NO RIGHTS OF REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ARE SUBJECT TO NORMAL		B	C-	RT0S-12CG-NS	*_*	A1	
				SCALE: N	ONE	SHEET	1 OF	1	