



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL

(1)





NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

	SW REFERENCE NO.: 628 COMBO ASSEMBLY			
COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
		CHECKED:	DATE:	
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-36W	4624-2T4	ISSUE
YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 628-36W	4624-2T4	1





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

47.0/

23.53

3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female






(1)

21W4 Male/Female



27W2 Male/Female



21W1 Male/Female

η τ τ 	Ŧ					
				11W1	Male/Female	
	8W8 Fem	nale			33.30	
47.05 23.53 8 14.48 9 0 5 80 5 25 28 5 25 2	↓		22.97 	17\\//2	Male/Female	
CURRENT RATI	ING / ØA			1/002	Male/Female	
10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	3 7			100 H	47.00 23.63 - 23.63 - 23.63 - 23.63 - 23.64 - 23.64 - 23.65 - 25.65 - 25.65	
						sv
			COMBINAT	ION	D-SUB	DR
						СН
ERIES FULLY CONFORMS TO JROPEAN UNION DIRECTIVES			EDAC INC TORONTO, ONTA	RIO	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED	SC
JROFEAN UNION DIRECTIVES						



THIS SEF THE EUF 2011/65/EU FOR RoHS COMPLIANCY.

	SW REFERENCE NO.: 628 COMBO ASSEMBLY				
COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/2019		
		CHECKED:	DATE:		
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND	SCALE: N.T.S	SHEET 3 OF	4	
TORONTO, ONTARI CANADA) SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-36W	4624-2T4	ISSUE	
YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 628-36W	4624-2T4	1	




31.75

22.97

1.70

63.50



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25







25W3 Male









36W4 Female



13W3 Male











13W6 Male



43W2 Male






.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female




43W2 Female

47W1 Female




17W5 Male


COMPLIANT













				OMBO ASSEMBLY
	COMBINA	TION D-SUB	DRAWN: C.B	DATE: JAN. 01/2019
			CHECKED:	DATE:
Y CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICAT ARE THE PROPERTY OF EDAC INC.,	I JOALL. N.I.J	SHEET 4 OF 4
NION DIRECTIVES DHS COMPLIANCY.	CANADA	OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-36W4	I624-2T4 ISSUE
	YOUR CONNECTION TO QUALITY & SERV	VICE MANUFACTURE OR SALE OF APPAR WITHOUT WRITTEN PERMISSION.	PART NUMBER: 628-36W4	1624-2T4 1









2.77

