
Mounting Option

08-#4-40 Unified Threaded Inserts

Contact Detail

542-Wire Wrap .025 Sq.(0.64 Sq.) - Tail LG=.645(16.38) .156 [3.96] Contact Spacing x .200 [5.08] Row Spacing



1

-4.748[120.60]-4.498 114.25 4.225 [107.32] 4.064 [103.23] -10-10-10-6 $(\bigcirc$ ┶┸┲┺┲┲┲┲┲┲┲┲┲┲┲┲ Card Slot Accepts .054 [1.37] to .070 (1.78) Thick P.C. Board 0.370 9.40 .160 [4.06] Point of Contact-0.180 4.57 EDRG

See Accompanying Page for:

- Bend Detail
- **Mounting Options**

833 Series High Temp Card Edge Connector Part Number: 833-025-542-608

EDAC INC

TORONTO, ONTARIO

CANADA

YOUR CONNECTION TO QUALITY & SERVICE

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

ACAD REFERENCE NO.	833 ENG MASTER
DRAWN: J.LEE	DATE: OCT. 14/09
CHECKED:	DATE:
SCALE: NTS	SHEET 1 OF 3
DRAWING NUMBER	ISSUE
833 Assembly	1



Card Slot



