



## Item description

### Function:

EtherCAT® is a powerful real-time ETHERNET fieldbus system that has become standard in many industrial automation applications. The PFC200 Controller (2nd generation) can run as an EtherCAT® master. This requires a license.

The EtherCAT® system is configured via special configuration dialogs in the *e!COCKPIT* Engineering Software. These specify:

- That the controller should function as an EtherCAT® master
- What field devices should be addressed
- What form the topology of the network takes
- What parameter values should be sent to the slaves upon startup

Besides the protocol stack in the form of a library, the runtime system also provides components for direct access to the ETHERNET interface and diagnostics.

### Benefits:

- Using the PFC200 as an EtherCAT® Master
- Controlling WAGO slaves with the EtherCAT® fieldbus system, e.g., the EtherCAT® Fieldbus Coupler of the WAGO I/O System 750
- Controlling additional field devices, which can be declared in *e!COCKPIT* via a standardized device description

### Use:

Subject to changes. Please also observe the further product documentation!



Enter the license into *e!COCKPIT*, assign it to a controller and load both the license and project into the controller. No other installation steps are required.

**Technical Data:**

Distributed clocks

Hot connect

Bus diagnostics: In the configurator and with the PLC application

Supported layer 7 protocols:

- CoE (CANopen/CAN over EtherCAT®)
- FoE (File over EtherCAT®)
- VoE (Vendor over EtherCAT®)

**Compatible Controllers:**

750-8212; PFC200; G2; 2ETH RS

750-8213; PFC200; G2; 2ETH CAN

750-8214; PFC200; G2; 2ETH RS CAN

750-8215; PFC200; G2; 4ETH CAN USB

750-8216; PFC200; G2; 2ETH RS CAN DPS

Besides the basic controller variants listed here, the license can also be used on these controllers' variants. For details, see the product information of the corresponding controller.

For detailed information on the controllers, go to: [www.wago.com/itemnumbers](http://www.wago.com/itemnumbers)

**Data**

**System requirements**

Other required software

*e!COCKPIT* version: V1.5.0

**Software data**

Supported devices

750-8212: PFC200; G2; 2ETH RS

750-8213: PFC200; G2; 2ETH CAN

750-8214: PFC200; G2; 2ETH RS CAN

750-8215: PFC200; G2; 4ETH CAN USB

750-8216: PFC200; G2; 2ETH RS CAN DPS

Besides the basic controller variants listed here, the license can also be used on these controllers' variants. For details, see the product information of the corresponding controller.

For detailed information on the controllers, go to: [www.wago.com/itemnumbers](http://www.wago.com/itemnumbers)

**Delivery**

Delivery type

License certificate via email (*e!COCKPIT* already contains the

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



|                         |   |
|-------------------------|---|
|                         | software itself)  |
| License type (note)     | The single license allows installation on one controller. One license per controller is required. |
| License type (note) (2) | A PC with both Internet connection and <i>e!COCKPIT</i> may be required for license activation.   |
| Licence Generation      | DRM   |

### Commercial data

|                       |               |
|-----------------------|---------------|
| ETIM 8.0              | EC001435      |
| ETIM 7.0              | EC001435      |
| PU (SPU)              | 1 pcs         |
| Country of origin     | DE            |
| GTIN                  | 4055143801478 |
| Customs tariff number | 88888888888   |

### Environmental Product Compliance

|                        |                         |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

### Downloads

#### Documentation

##### Manual

|                            |                        |                 |          |
|----------------------------|------------------------|-----------------|----------|
| e!RUNTIME EtherCAT® Master | V 1.1.1<br>2019 Dec 17 | pdf<br>879.5 kB | Download |
|----------------------------|------------------------|-----------------|----------|

##### Bid Text

|                                   |             |                 |          |
|-----------------------------------|-------------|-----------------|----------|
| 2759-263/210-1000<br>X81 - Datei  | 2019 May 14 | xml<br>6.2 kB   | Download |
| 2759-263/210-1000<br>docx - Datei | 2019 Jan 10 | docx<br>17.8 kB | Download |

### System Description

|  |                 |          |
|--|-----------------|----------|
| Software – General Product Information | pdf<br>377.6 kB | Download |
|--|-----------------|----------|

Subject to changes. Please also observe the further product documentation!



## Application Notes

### Application Note e!COCKPIT

|   |             |        |          |
|---|-------------|--------|----------|
| e!COCKPIT Application Note EtherCAT IO-Field (a2022003) | 1.0.0       | pptx   | Download |
| WAGO EtherCAT Master, EoE access with IO-Field devices  | 2023 Mar 23 | 2.2 MB |          |

---

## Environmental Product Compliance

### Compliance Search

|  |     |          |
|--|-----|----------|
| Environmental Product Compliance 2759-263/211-1000               | URL | Download |
| Runtime; EtherCAT Master; 300; Single License; Online activation |     |          |

---

## Installation Notes

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.