


THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.






ORIGINAL

(1)





NOTES:

MATERIAL:

.X ±0.25

.XX ±0.13 .XXX ±0.05

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, 30µ GOLD PLATING


OPERATING TEMPERATURE:

-55°C ~ 125°C

POWER CONTACT CURRENT RATING: 20A POWER CONTACT SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. **INSULATOR RESISTANCE:** 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE:

1000V AC rms

	COMBINATION D-SUB		SW REFERENCE NO.: 627 COMBO ASSEMBLY			
COMBINATION			DATE: JAN. 01/20	19		
			DATE:			
	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4		
EDACINC TORONTO, ONTARIO CANADA		DRAWING NUMBER: 627W21W1624-1NA		ISSUE		
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 627W21V	V1624-1NA	1		






21.10

THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

2W2 / 2WK2

5W5 Male

5W5 Female

COMPLIANT


3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female





21W4 Male/Female



27W2 Male/Female



21W1 Male/Female

627 COMBO ASSEMBLY

4

ISSUE

1

		ليجمل		
		11W	1 Male/Female	
47.05 23.53 14.48 20 20 20 20 20 20 20 20 20 20	8W8 Female 31.75 49.40 49.40 19.75	1 200 	2 Male/Female	
				SW F
		COMBINATION	1 D-20R	DRA
			1	CHE
ERIES FULLY CONFORMS TO		EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCAL
JROPEAN UNION DIRECTIVES 5/EU FOR R₀HS COMPLIANCY.		TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRA

YOUR CONNECTION TO QUALITY & SERVICE

THIS SER THE EUR 2011/65/EU FOR RoHS COMPLIANCY.

47.00 23.65 13.85 	
	SW REFERENCE NO .:
COMBINATION D-SUB	DRAWN: C.B


C.B DATE: JAN. 01/2019 WN: ECKED: DATE: SHEET 3 OF ALE: N.T.S 627W21W1624-1NA AWING NUMBER: MANUFACTURE OR SALE OF APPARATUS PART NUMBER: 627W21W1624-1NA WITHOUT WRITTEN PERMISSION.

47.0/

23.53

31.75 22.97

63.50



TOLERANCE UNLESS OTHERWISE SPECIFIED DAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.







25W3 Male

36W4 Male











36W4 Female





13W3 Male

3










13W6 Male



43W2 Male





17W5 Female


 .X
 ±0.25

 .XX
 ±0.13

 .XXX
 ±0.05

9W4 Female

13W3 Female





47W1 Female



17W5 Male

COMPLIANT






2.77







		SW REFERENCE NO.: 627 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
			DRAWING NUMBER: 627W21	V1624-1NA	ISSUE
			PART NUMBER: 627W21	V1624-1NA	1