




THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER


(1)











MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

| COMBINATION D-SUB | | SW REFERENCE NO.: 627 COMBO ASSEMBLY | | | |
|--------------------------------------|--|--------------------------------------|------------|-------|--|
| | | DRAWN: C.B DATE: JAN. 07 | | /2019 | |
| | | CHECKED: | DATE: | | |
| EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC. AND | SCALE: (IN C.A.D. 1:1) | SHEET 1 OF | 4 | |
| YOUR CONNECTION TO QUALITY & SERVICE | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE | DRAWING NUMBER: 627-2WK | 2624-4NC | ISSUE | |
| | MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | PART NUMBER: 627-2WK | 2624-4NC | 1 | |



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)



5W5 Male

5W5 Female

23.53

3W3 / 3WK3

8W8 Male

5W1 Male/Female






21W4 Male/Female




nale



ale

| | | | | 22.70 11 |
|--|---|--|---------------------------------|-----------------|
| | | 11W1 Male/Female | 27W2 Male | :/Femal |
| 47.05 47.05 47.05 4.14.48 | 3W8 Female 31.75 22.83 22.97 31.75 22.83 22.97 31.75 22.83 22.97 31.75 22.83 2.97 31.75 22.83 2.97 2.97 31.75 2.97 2.97 31.75 22.83 2.97 2.97 31.75 2.97 2.97 31.75 2.97 2.97 31.75 2.97 2.97 31.75 2.97 2.97 31.75 2.97 2.97 31.75 2.97 2.97 31.75 2.97 31.75 2.97 31.75 2.97 31.75 2.97 31.75 2.97 31.75 2.97 31.75 2.97 31.75 2.97 31.75 2.97 31.75 2.97 31.75 2.97 31.75 2.97 31.75 31.75 2.97 31.75 2.97 31.75 2.97 31.75 2.97 31.75 2.97 31.75 2.97 31.75 31.75 2.97 31.75 | 33.30 18.65 18.65 18.65 18.65 18.65 18.65 18.65 18.65 18.65 18.65 18.65 18.65 18.65 18.65 18.65 19.75 19 | | |
| | | 17W2 Male/Female | 21W1 Male | :/Femal |
| CURRENT RATING / 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2 | ØA | ₹ <u>23,65</u> ₹ <u>3</u> ₹ <u>3</u> ₹ <u>3</u> 47,00 15,0 6,31 47,00 15,0 6,31 47,00 15,0 6,31 47,00 15,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 17,0 | | |
| | COMBINA | TION D-SUB | SW REFERENCE NO.: DRAWN: C.B | 627 (|
| | | | CHECKED: | |
| ERIES FULLY CONFORMS TO | | THESE DRAWINGS AND SE | PECIFICATIONS SCALE: N.T.S | |

COMPLIANT



| | SW | | SW REFERENCE NO.: 627 COMBO ASSEMBLY | | | |
|--------------------------------------|--|-------------------|--------------------------------------|--------------------|-------|--|
| COMBINATION D-SUB | | DRAWN: C.B | | DATE: JAN. 01/2019 | | |
| | | CHECKED: | | DATE: | | |
| EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND | SCALE: N.T.S | | SHEET 3 OF | 4 | |
| TORONTO, ONTARIO CANADA | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE | DRAWING NUMBER: 6 | 27-2WK2 | 2624-4NC | ISSUE | |
| YOUR CONNECTION TO QUALITY & SERVICE | MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | PART NUMBER: 6 | 27-2WK2 | 2624-4NC | 1 | |



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25









25W3 Male












36W4 Female




13W3 Male



36W4 Male







13W6 Male



43W2 Male






17W5 Female

.XX ±0.13 .XXX ±0.05


9W4 Female

13W3 Female





47W1 Female



17W5 Male


COMPLIANT






2.77







| | | | SW REFERENCE NO.: 627 COMBO ASSEMBLY | | |
|---|--|--|--------------------------------------|------------|-------|
| | COMBINATION | DRAWN: C.B | DATE: JAN. 01/2019 | | |
| | | | CHECKED: | DATE: | |
| THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. | EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | SCALE: N.T.S | SHEET 4 OF | 4 |
| | | | DRAWING NUMBER: 627-2WK | 2624-4NC | ISSUE |
| | | | PART NUMBER: 627-2WK | 2624-4NC | 1 |