

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0690080250](#)
Status: **Active**
Overview: [Application Tooling](#)
Description: Changehead for Parallel Action Handtool 690080949

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	207129
Comments	Prototype and field repair, Prototype and field repair
Function	Insulation Displacement (IDT)
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	QF-50
Tool Type	Hand Crimp Tool
UPC	800754356664
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Physical

Net Weight 0.001/g

Material Info

Reference - Drawing Numbers

Application Tooling Documents [ATS-690080250](#)



Series image - Reference only

EU ELV

Not Reviewed

EU RoHS

Not Reviewed

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Reviewed

For more information, please visit [Contact US](#)

China ROHS

Not Reviewed

ELV

Not Reviewed

RoHS Phthalates

Not Reviewed

Search Parts in this Series

[207129 Series](#)

Use With

[690080949](#)

Application Tooling | FAQ

Description Product #

1.27mm Pitch [906351101](#)

QF-50 Single Beam, Vertical MIL/DIN Version, 0.10µm Gold (Au), 10 Circuits

1.27mm Pitch [906351102](#)

QF-50 Single Beam, Vertical MIL/DIN Version, 0.76µm Gold (Au), 10 Circuits

1.27mm Pitch [906351141](#)

QF-50 Single Beam, Vertical MIL/DIN Version, 0.10µm Gold (Au), 14 Circuits

1.27mm Pitch	<u>906351142</u>
QF-50 Single Beam, Vertical MIL/DIN Version, 0.76µm Gold (Au), 14 Circuits	
1.27mm Pitch	<u>906351161</u>
QF-50 Single Beam, Vertical MIL/DIN Version, 0.10µm Gold (Au), 16 Circuits	
1.27mm Pitch	<u>906351162</u>
QF-50 Single Beam, Vertical MIL/DIN Version, 0.76µm Gold (Au), 16 Circuits	
1.27mm Pitch	<u>906351201</u>
QF-50 Single Beam, Vertical MIL/DIN Version, 0.10µm Gold (Au), 20 Circuits	
1.27mm Pitch	<u>906351202</u>
QF-50 Single Beam, Vertical MIL/DIN Version, 0.76µm Gold (Au), 20 Circuits	
1.27mm Pitch	<u>906351241</u>
QF-50 Single Beam, Vertical MIL/DIN Version, 0.10µm Gold (Au), 24 Circuits	
1.27mm Pitch	<u>906351242</u>
QF-50 Single Beam, Vertical MIL/DIN Version, 0.76µm Gold (Au), 24 Circuits	
1.27mm Pitch	<u>906351243</u>
QF-50 Single Beam, Vertical MIL/DIN Version, 0.38µm Gold (Au), 24 Circuits	
1.27mm Pitch	<u>906351261</u>
QF-50 Single Beam, Vertical MIL/DIN Version, 0.10µm Gold (Au), 26 Circuits	
1.27mm Pitch	<u>906351262</u>
QF-50 Single Beam, Vertical MIL/DIN Version, 0.76µm Gold (Au), 26 Circuits	
1.27mm Pitch	<u>906351301</u>
QF-50 Single Beam, Vertical MIL/DIN Version, 0.10µm	

Gold (Au), 30
Circuits
1.27mm Pitch [906351302](#)
QF-50 Single Beam,
Vertical MIL/DIN
Version, 0.76µm
Gold (Au), 30
Circuits
1.27mm Pitch [906351341](#)
QF-50 Single Beam,
Vertical MIL/DIN
Version, 0.10µm
Gold (Au), 34
Circuits
1.27mm Pitch [906351342](#)
QF-50 Single Beam,
Vertical MIL/DIN
Version, 0.76µm
Gold (Au), 34
Circuits
1.27mm Pitch [906351401](#)
QF-50 Single Beam,
Vertical MIL/DIN
Version, 0.10µm
Gold (Au), 40
Circuits
1.27mm Pitch [906351402](#)
QF-50 Single Beam,
Vertical MIL/DIN
Version, 0.76µm
Gold (Au), 40
Circuits
1.27mm Pitch [906351501](#)
QF-50 Single Beam,
Vertical MIL/DIN
Version, 0.10µm
Gold (Au), 50
Circuits
1.27mm Pitch [906351502](#)
QF-50 Single Beam,
Vertical MIL/DIN
Version, 0.76µm
Gold (Au), 50
Circuits
1.27mm Pitch [906351601](#)
QF-50 Single Beam,
Vertical MIL/DIN
Version, 0.10µm
Gold (Au), 60
Circuits
1.27mm Pitch [906351602](#)
QF-50 Single Beam,
Vertical MIL/DIN
Version, 0.76µm
Gold (Au), 60
Circuits
1.27mm Pitch [906351641](#)
QF-50 Single Beam,
Vertical MIL/DIN
Version, 0.10µm
Gold (Au), 64
Circuits
1.27mm Pitch [906351642](#)
QF-50 Single Beam,
Vertical MIL/DIN

This document was generated on 03/28/2019

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION