HellermannTyton

Specification Sheet

Part Number: TAG19J-450



Ink Jet Label, 2.0" x .38", 60 Per Sheet, PET, White, 1000/pkg

Article Number	593-19450
Туре	TAG19J
Color	Black (BK)
Features & Benefits	•Ink jet printable polyester has a smooth surface, allowing for the highest resolution and print contrast. •The acrylic-based adhesive bonds to a wide variety of substrates and resists abrasion. •When used with black pigment-based inks, the material can withstand chemicals and solvents.
Quantity Per	pack
Product Description	HellermannTyton white polyester labels are ideal for marking small electrical

Product Description

HellermannTyton white polyester labels are ideal for marking small electrical and electronic components, such as EPROMS', Integrated circuits, as well as the circuit board itself. Printed labels can withstand the soldering process and survive flux removal when the board is washed. HellermannTyton's 450 material is designed for use on flat surfaces and can also be used to identify connectors, buttons and just about anything requiring permanent, durable, high

temperature marking.

Short Description	Ink Jet Label, 2.0" x .38", 60 Per Sheet, PET, White, 1000/pkg
Global Part Name	TAG19J-450-BK
Width W (Imperial)	0.375
Width W (Metric)	9.52
Thickness T (Metric)	64.0
Height H (Imperial)	2.0
Height H (Metric)	50.8
Material	Type 450, Polyetylene Terephthalate (PET)
Material Shortcut	450
Adhesive	Acrylic
Halogen free	No
Adhesive Operating Temperature	-40°F to +302°F (-40°C to +150°C)
Operating Temperature (Metric)	-40°F to +302°F (-40°C to +150°C)
Reach Complaint(Article 33)	Yes

Package Quantity(Imperial)	1200
Package Quantity (Metric)	1000
Customs Number	3919905060
Labels per Column	4
Labels per Row	15
Weight (Metric)	0.521
Weight (Imperial)	1.14

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions

 $[\]hbox{@}$ 2019 HellermannTyton. All Rights Reserved.