
Wire harness support; gray

www.wago.com/249-109







Data Technical data

Main product function

Mounting accessories

 $\label{thm:continuity} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/249-109



Material Data

Color	gray
Fire load	0.055 MJ
Weight	1 g

Commercial data

Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	50 pcs
Packaging type	box
Country of origin	DE
GTIN	4017332270816
Customs tariff number	39269097900

Environmental Product Compliance

RoHS Compliance Status	Compliant,No Exemption

Optional accessories

Marking accessories	
Marker	

THE PERSON NAMED IN
101

Item no.: 209-501/000-007 WSB marking card; as card; not stretchable; plain; snap-on type; gray

www.wago.com/209-501 /000-007



Item no.: 209-501/000-012

WSB marking card; as card; not stretchable; plain; snap-on type; orange

www.wago.com/209-501 /000-012



Item no.: 209-501/000-024

WSB marking card; as card; not stretchable; plain; snap-on type; violet

www.wago.com/209-501

/000-024



Item no.: 209-501/000-023

WSB marking card; as card; not stretchable; plain; snap-on type; green

www.wago.com/209-501 /000-023

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/249-109





Item no.: 209-501/000-017

WSB marking card; as card; not stretchable; plain; snap-on type; light green

www.wago.com/209-501 /000-017



Item no.: 209-501

WSB marking card; as card; not stretchable; plain; snap-on type; white

www.wago.com/209-501



Item no.: 209-501/000-006

WSB marking card; as card; not stretchable; plain; snap-on type; blue

www.wago.com/209-501

/000-006



Item no.: 209-501/000-005

WSB marking card; as card; not stretchable; plain; snap-on type; red

www.wago.com/209-501

/000-005



Item no.: 209-501/000-002

WSB marking card; as card; not stretchable; plain; snap-on type; yellow

www.wago.com/209-501

/000-002

Downloads

Documentation

Bid Text

249-109	2019 Feb 19	xml	Download
X81 - Datei		2.5 kB	
249-109	2017 Aug 18	doc	Download
doc - Datei		23.6 kB	

CAD/CAE-Data

CAE data

WSCAD Universe 249-109 URL

Download

CAD data

URL 2D/3D Models 249-109 Download

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.



Environmental Product Compliance

Compliance Search

Environmental Product Compliance 249-109

Wire harness support; gray

URL

Download

Installation Notes


Installation





Clipping a wire harness support into the marker slot.

Inserting a cable into the wire harness support.



2 x group marking on top

1 x terminal block marking at the bottom


 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/249-109





Terminal blocks for matrix patching with wire harness supports:

For 5 mm wide double-potential terminal blocks, two 3-conductor through terminal blocks are offered in one insulating housing on one level. This achieves a width of just 2.5 mm (0.098 inch) versus standard through terminal blocks. On each side of the terminal block are marker slots for WAGO WMB Inline markers. Via the available accessories, these terminal blocks can also be used as 4-conductor disconnect terminal blocks or potential multipliers.

The WAGO wire harness supports are pushed into the terminal blocks (approx. every 8th unit) to form an additional "cable-duct" above the wiring level of the terminal blocks. The two marker slots on the top may be used for group marking, while the lower slot is used for marking the terminal block.

 $\label{thm:continuity} \textbf{Subject to changes. Please also observe the further product documentation!}$