



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.


ISSUE NUMBER ORIGINAL

(1)





## NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE:  $10m\Omega$  MAX. INSULATOR RESISTANCE:  $5000M\Omega$  min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

			SW REFERENCE NO.: 627 COMBO ASSEMBLY				
	COMBINATION D-SUB			DRAWN: C.B		DATE: JAN. 01/2019	
				CHECKED:		DATE:	
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN	I C.A.D. 1:1)	SHEET 1 (	DF 4	
	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627-5W5-224-5T5		ISSUE	Ξ	
			PART NUMBE	R: 627-5W5-	224-5T5	1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



2W2 / 2WK2

5W5 Male

5W5 Female

COMPLIANT

47.0/

23.53

3W3 / 3WK3

8W8 Male



7W2 Male/Female





(1)

21W4 Male/Female



27W2 Male/Female



21W1 Male/Female


DRAWING NUMBER:


PART NUMBER:

16.5

			erremale
<u>)</u>	8W8 Female		
47.06 - 23.53 - 14.48 - 14.48 - 14.48 - 80 - 8.38 - 8.38 - 9.04 - 9.04 - 9.05 - 9.0		and a second	
		17W2 Mal	le/Female
CURRENT RATING	/ ØA		
10A / 2.2		t	47.05
20A / 3.3		ষ্ণ	23.63 13.85
30A / 3.7 40A / 4.2			
	CO	MBINATION D-S	SUB
THIS SERIES FULLY CONFORMS TO			
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	YOUR CONNECTION TO QUA	ONTO, ONTARIO CANADA ITX A OF DVIOC	THE PROPERTY OF EDAC INC.,AND LL NOT BE REPRODUCED,OR COPIED JSED AS THE BASIS FOR THE IUFACTURE OR SALE OF APPARATUS HOUT WRITTEN PERMISSION.







627-5W5-224-5T5

627-5W5-224-5T5

ISSUE

1


22.03

31.75

63.50



11W1 Male/Female



 TOLERANCE
 THIS IS A C.A.D. GENERATED DRAWING

 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25






9W4 Male



25W3 Male










13W3 Male


3











13W6 Male




43W2 Male






17W5 Female



43W2 Female

47W1 Female

36W4 Female



17W5 Male

COMPLIANT






2.77




.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



.....



		SW REFERENCE NO.: 627 COMBO ASSEMBLY			
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	)19
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 627-5W5	-224-5T5	ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 627-5W5	-224-5T5	1