



SSHB21HS-R06780

Aliases (UALSB2SR067800)

KEMET, SSHB21HS, AC Line Filters, Dual Mode, 78 mH





Click here for the 3D model.

 $3.5 \pm 0.5$ 

Dimensions	
L	26mm MAX
т	23mm MAX
Н	15.5mm MAX
LL	3.5mm +/-0.5mm
S	21mm +/-0.5mm
S1	15mm NOM
Wire Size	0.25mm

## Packaging Specifications Packaging

Packaging Quantity	360
Component Weight	14 g

Tray

General Information		
Series	SSHB21HS	
Style	Through-Hole	
RoHS	Yes	
Notes	Marking: R06 Lot No.	
Miscellaneous	Temperature Rise Maximum: 60 K.	
Core	Mn-Zn Ferrite	

Specifications		
Voltage AC	250 VAC, 320 VAC (IEC60664-1)	
Inductance	78 mH (10 kHz)	
Current	600 mA	
Temperature Range	-40/+120°C	
DC Resistance	1.48 Ohms	

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.