

## Screw insert - SF-BIT-SL 1,2X6,5-70 - 1212577

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Screw bit, bladed, E6.3-1/4" drive, size: 1.2 x 6.5 x 70 mm, hardened, suitable for holder according to DIN 3126-F6.3/ISO 1173

### Your advantages

- Tools for SF-ASD 21 cordless screwdriver in various versions

### Key Commercial Data

Packing unit	5 pc
GTIN	 4 046356 590129
GTIN	4046356590129

### Technical data

#### Dimensions

Length (b)	70 mm
Blade thickness	1.2 mm
Blade width	6.5 mm
Blade height	70 mm

#### General

Color	silver
Type	Bladed
Material	Steel
Test standard	DIN 3126 drive, output 3127-1

#### Standards and Regulations

Test standard	DIN 3126 drive, output 3127-1
---------------	-------------------------------


#### Environmental Product Compliance

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
---------------------------	---

### Drawings

# Screw insert - SF-BIT-SL 1,2X6,5-70 - 1212577

Pictogram



Approvals

Approvals

---

Approvals

EAC

---

Ex Approvals

---

Approval details

## Screw insert - SF-BIT-SL 1,2X6,5-70 - 1212577

### Approvals

EAC



RU C-  
DE.AI30.B.01750

Phoenix Contact 2019 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>