



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER

(1)







NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE:  $10m\Omega$  MAX. INSULATOR RESISTANCE:  $5000M\Omega$  min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

|             |                                      | SW REFERENCE NO.: 628 COMBO ASSEMBLY  |                         |                    |       |
|-------------|--------------------------------------|---|-------------------------|--------------------|-------|
|             |                                      |   | DRAWN: C.B              | DATE: JAN. 01/2019 |       |
|             |                                      |   | CHECKED:                | DATE:              |       |
|             | EDAC INC                             | THESE DRAWINGS AND SPECIFICATIONS<br>ARE THE PROPERTY OF EDAC INCAND  | SCALE: (IN C.A.D. 1:1)  | SHEET 1 OF         | 4     |
| YOUR CONNEC | TORONTO, ONTARIO<br>CANADA           | SHALL NOT BE REPRODUCED, OR COPIED<br>OR USED AS THE BASIS FOR THE<br>MANUFACTURE OR SALE OF APPARATUS<br>WITHOUT WRITTEN PERMISSION. | DRAWING NUMBER: 628-43W | 2224-3NA           | ISSUE |
|             | YOUR CONNECTION TO QUALITY & SERVICE |   | PART NUMBER: 628-43W    | 2224-3NA           | 1     |





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)


21W4 Male/Female




628-43W2224-3NA

|  | $\begin{array}{c} 63.50 \\ \hline 31.78 \\ \hline 22.87 \\ \hline 22.87 \\ \hline 22.87 \\ \hline 22.65 \\ \hline$ |  |                        |   | ese        |
|--|--|--|------------------------|---|------------|
|  |  | 1W1 Male/Female  | 27W2 Male/Femal        | le  |            |
| 47.06<br>- 14.40<br>- 14. | <sup>53,50</sup><br>31.76<br>22.83<br>+ + + + + + + + + + + + + + + + + + +  | 33.30<br>16.65<br>9.70<br>4.31<br>16.65<br>9.70<br>4.31<br>4.00<br>9.70<br>4.31<br>4.00<br>9.70<br>4.31<br>4.00<br>9.70<br>4.31<br>4.00<br>9.70<br>4.31<br>4.00<br>9.70<br>4.31<br>4.00<br>9.70<br>4.31<br>4.00<br>9.70<br>4.00<br>9.70<br>4.00<br>9.70<br>4.00<br>9.70<br>4.00<br>9.70<br>4.00<br>9.70<br>4.00<br>9.70<br>4.00<br>9.70<br>4.00<br>9.70<br>4.00<br>9.70<br>4.00<br>9.70<br>4.00<br>9.70<br>4.00<br>9.70<br>4.00<br>9.70<br>4.00<br>9.70<br>4.00<br>9.70<br>4.00<br>9.70<br>4.00<br>9.70<br>4.00<br>9.70<br>4.00<br>9.70<br>4.00<br>9.70<br>4.00<br>9.70<br>4.00<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.7 |                        | 33.50<br>31.75<br>2<br>15.24<br>++++++++++<br>+++++++++++++++++++++++++ |            |
| CURRENT RATING / ØA<br>10A / 2.2<br>20A / 3.3<br>30A / 3.7<br>40A / 4.2  |  | 17W2 Male/Female   | 21W1 Male/Femal        | 47.05   | <i>R</i>   |
|  | COMBINAT   | COMBINATION D-SUB  |                        | COMBO ASSEMBLY  | 019        |
|  |  |  | DRAWN: C.B<br>CHECKED: | DATE:   |            |
| HIS SERIES FULLY CONFORMS TO   | EDAC INC<br>TORONTO, ONTA  | THESE DRAWINGS AND SPECIFICATIONS<br>ARE THE PROPERTY OF EDAC INC.,AND<br>SHALL NOT BE REPRODUCED,OR COPIED  | SCALE: N.T.S           | SHEET 3 OF  |            |
| HE EUROPEAN UNION DIRECTIVES<br>011/65/EU FOR RoHS COMPLIANCY.   | YOUR CONNECTION TO QUALITY & SERVICE   | OR USED AS THE BASIS FOR THE   |                        | /2224-3NA<br>/2224-3NA  | ISSUE<br>1 |

8W8 Male



5.30



WITHOUT WRITTEN PERMISSION.

THI THE 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT

 
 TOLERANCE UNLESS OTHERWISE
 THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25







25W3 Male










36W4 Female




13W3 Male



36W4 Male







13W6 Male



43W2 Male






17W5 Female

.XX ±0.13 .XXX ±0.05


9W4 Female

13W3 Female






47W1 Female





17W5 Male


COMPLIANT



47W1 Male







|  | COMBINATION D-SUB                    |  | SW REFERENCE NO.: 628 COMBO ASSEMBLY |                  |       |
|--|--------------------------------------|--|--------------------------------------|------------------|-------|
|  |                                      |  | DRAWN: C.B                           | DATE: JAN. 01/20 | 19    |
|  |                                      |  | CHECKED:                             | DATE:            |       |
| THIS SERIES FULLY CONFORMS TO                                    | EDAC INC                             | THESE DRAWINGS AND SPECIFICATIONS<br>ARE THE PROPERTY OF EDAC INC., AND<br>SHALL NOT BE REPRODUCED, OR COPIED<br>OR USED AS THE BASIS FOR THE<br>MANUFACTURE OR SALE OF APPARATUS<br>WITHOUT WRITTEN PERMISSION. | SCALE: N.T.S                         | SHEET 4 OF       | 4     |
| THE EUROPEAN UNION DIRECTIVES<br>2011/65/EU FOR R₀HS COMPLIANCY. | TORONTO, ONTARIO<br>CANADA           |  | DRAWING NUMBER: 628-43W2224-3NA      |                  | ISSUE |
|  | YOUR CONNECTION TO QUALITY & SERVICE |  | PART NUMBER: 628-43W                 | 2224-3NA         | 1     |