



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER

(1)









MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-7W2-224-2N5		ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-7W2-	-224-2N5	1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)


628-7W2-224-2N5

21W4 Male/Female

0.00	011011010					
		33.30 6.860 1.3200 1.3200 1.3200 1.3200 1.3200 1.3200 1.3200 1.3200 1		63.50 31.75 64 - 9.70 +++ 9 + + 10 - 99 +++ 9 + + 4 - 9 - 99 - 2.77	ese	
		11W1 Male/Female	27W2 Male/Femal	e		
5W5 Female	8W8 Female 31.75 72.43 72.43 72.43 72.47			83.50 31.75 ++++++++ +++++++ +++++++++++++++++++	and the second	
		17W2 Male/Female	21W1 Male/Femal	e		
CURRENT RATIN 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	G / ΦA	¥ 5 × 1 × 2363 × 1 × 1 × 1 × 1 × 1 × 1 × 1 × 1		47.05 23.53 4 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5	Ø	
				SW REFERENCE NO.: 628 COMBO ASSEMBLY		
COMBINA		ATION D-SUB	DRAWN: C.B	DATE: JAN. 01/20	19	
				DATE:		
THIS SERIES FULLY CONFORMS TO		ARE THE FROFERTT OF EDAG INC., AND	SCALE: N.T.S	SHEET 3 OF	4	
COMPLIANT 2011/65/EU FOR RoHS COMPLIANCY.		OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-7W2-224-2N5		ISSUE	
	YOUR CONNECTION TO QUALITY & SEF	MANUFACTURE OR SALE OF APPARATUS           RVICE         WITHOUT WRITTEN PERMISSION	PART NUMBER: 628-7W2-224-2N5 1		1	

WITHOUT WRITTEN PERMISSION.

5W5 Male



8W8 Male

 TOLERANCE
 THIS IS A C.A.D. GENERATED DRAWING

 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25





9W4 Male



25W3 Male





36W4 Female



13W3 Male





51.00 30.50 13.72 16.62 5.74 15.24 1





13W6 Male



43W2 Male





17W5 Female

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female




17W5 Male


COMPLIANT











		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	)19
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE		DRAWING NUMBER: 628-7W2-224-2N5		ISSUE
			PART NUMBER: 628-7W2	-224-2N5	1