



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL

(1)






## NOTES:


MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms




	COMBINATION D-SUB		SW REFERENCE NO.: 629 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/201	19	
			CHECKED:	DATE:		
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 629-13W3240-1N4		ISSUE	
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 629-13W	3240-1N4	1	





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female

11W1 Male/Female





**ISSUE NUMBER** 

ORIGINAL

 $\overline{(1)}$ 

5W5 Male



PCB EDGE

8W8 Male




PCB EDGE



PCB EDGE



21W4 Male/Female




PCB EDGE

21W1 Male/Female





	COMBINATION D-SUB		SW REFERENCE NO.: 629 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/2019		
			CHECKED:	DATE:		
	EDAC INC TORONTO, ONTARIO CANADA	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 3 OF	4	
			DRAWING NUMBER: 629-13W3240-1N4		ISSUE	
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 629-13	W3240-1N4	1	

5W5 Female




8W8 Female





17W2 Male/Female


CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2








THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.












25W3 Female




13W3 Male






25W3 Male






24.77

PCB EDGE



31.75

36W4 Female



13W6 Male





22.18

2.77

20.78

20.7

13.72

PCB EDGE

13W6 Female

.X ±0.25 .XX

±0.13 .XXX ±0.05

9W4 Female

13W3 Female

## 43W2 Female




17W5 Male


COMPLIANT














SW REFERENCE NO. 629 COMBO ASSEMBLY COMBINATION D-SUB DRAWN: C.B DATE: JAN. 01/2019 CHECKED: DATE: THESE DRAWINGS AND SPECIFICATIONS OF 4 SCALE: N.T.S SHEET 4 THIS SERIES FULLY CONFORMS TO EDAC INC ARE THE PROPERTY OF EDAC INC..AND THE EUROPEAN UNION DIRECTIVES TORONTO, ONTARIO SHALL NOT BE REPRODUCED, OR COPIED 629-13W3240-1N4 DRAWING NUMBER: ISSUE OR USED AS THE BASIS FOR THE CANADA 2011/65/EU FOR RoHS COMPLIANCY. MANUFACTURE OR SALE OF APPARATUS 1 YOUR CONNECTION TO QUALITY & SERVICE 629-13W3240-1N4 PART NUMBER: WITHOUT WRITTEN PERMISSION.