61.75 53.05 47.05 38.95 2.50 30 ω o 000 0 0 0 Θ (\circ) (o) o n 100




THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER

(1)

ORIGINAL



6.10 21.10



NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, 30µ GOLD PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

	COMBINATION D-SUB			SW REFERENCE NO.: 629 COMBO ASSEMBLY			
COMBINATION				19			
			DATE:				
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4			
TORONTO, ONTARIO CANADA		DRAWING NUMBER: 629W17W2640-4NB		ISSUE			
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 629W17V	V2640-4NB	1			





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER $\overline{(1)}$ ORIGINAL

2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female

11W1 Male/Female






5W5 Male



PCB EDGE

8W8 Male



PCB EDGE




PCB EDGE




21W4 Male/Female

27W2 Male/Female




21W1 Male/Female




			SW REFERENCE NO.: 629 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19		
			CHECKED:	DATE:		
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S	SHEET 3 OF	4	
YOI	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 629W17W2640-4NB		ISSUE	
			PART NUMBER: 629W17V	V2640-4NB	1	

5W5 Female




8W8 Female




PCB EDGE

17W2 Male/Female










CURRENT RATING / ØA

10A / 2.2 20A / 3.3 30A / 3.7







TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.

















13W3 Male






25W3 Male



13W3 Female

.X±0.25.XX±0.13.XXX±0.05



31.75

36W4 Female



13W6 Male





30.50

2.77

22.16

20.78

13W6 Female

24.77

43W2 Female




17W5 Male


COMPLIANT













20.70

13.72

PCB EDGE



PCB EDGE



		COMBINATION D-SUB			SW REFERENCE NO.: 629 COMBO ASSEMBLY			
					DRAWN: C.B	DATE: JAN. 01/20	019	
				CHECKED:	DATE:			
	THIS SERIES FULLY CONFORMS TO		EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 4 OF	4	
_	HE EUROPEAN UNION DIRECTIVES 011/65/EU FOR RoHS COMPLIANCY. Y	CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 629W17	W2640-4NB	ISSUE		
				PART NUMBER: 629W17	W2640-4NB	1		