MF POK BIG

Similar to illustration

The Klippon® POK enclosure range is made from a high-quality glass fibre reinforced polyester and is ideal for applications and environments where corrosion resistance, impact resistance and a high IP protection class are a requirement.

Key features of the extensive product range:

• Available in 17 sizes
• Two standard finishes (colours): grey (similar to RAL 7001 for industrial use) and black (similar to RAL 9011 for harsh environments, Ex)
• Cover with stainless steel screws in cross-head / slotted design
• Moulded gasket made of silicone or chloroprene
• Fixing holes outside the sealed area to ensure high ingress protection of IP66
• Impact resistance up to 7 Joules
• Mounting directly in the enclosure or using an internal mounting plate
• Direct wall mounting possible using fixing holes or mounting feet
• Fastening thread to attach mounting rails and plates
• Up to E60 fire rating dependent on the configuration
•
• Weidmüller can manufacture and supply this enclosure to match customer specifications - fitted with all necessary terminals and cable glands.

General ordering data

Version	Klippon POK (polyester empty enclosure), Mounting foot, Fixing lugs, Height: 16 mm, Width: 51 mm, Depth: 6 mm, Material: Stainless steel 1.4301, Miscellaneous
Order No.	9510910000
Type	MF POK BIG
GTIN (EAN)	4032248009756
Qty.	1 pc(s).

MF POK BIG

Technical data

Dimensions and weights

Depth	6 mm	Depth (inches)	0.236 inch
Height	16 mm	Height (inches)	0.63 inch
Width	51 mm	Width (inches)	2.008 inch
Net weight	86 g		

General information

Material	Stainless steel 1.4301	Surface finish	Miscellaneous
Type of fixing	when screwed in		

Classifications

ETIM 6.0	EC002625	ETIM 7.0	EC002625
ETIM 8.0	EC002625	ECLASS 9.0	27-18-28-07
ECLASS 9.1	27-18-92-90	ECLASS 10.0	27-18-28-07
ECLASS 11.0	27-18-28-07	ECLASS 12.0	27-18-28-07

Approvals

ROHS	Conform

Downloads

Engineering Data	EPLAN, WSCAD
Catalogues	Catalogues in PDF-format
Brochures	