


THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER

ORIGINAL

(1)





NOTES:

MATERIAL:

.X ±0.25

.XX ±0.13 .XXX ±0.05

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, 30µ GOLD PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

| | | | SW REFERENCE NO.: 628 COMBO ASSEMBLY | | | |
|--|-------------|--|--------------------------------------|------------|-------|--|
| | COMBINATION | DRAWN: C.B | DATE: JAN. 01/20 | 19 | | |
| | | | CHECKED: | DATE: | | |
| | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND | SCALE: (IN C.A.D. 1:1) | SHEET 1 OF | 4 | |
| | | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE | DRAWING NUMBER: 628W2W | K2624-2N2 | ISSUE | |
| | | MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | PART NUMBER: 628W2W | K2624-2N2 | 1 | |



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



ISSUE NUMBER THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

47.05

23.53

3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female



27W2 Male/Female





21W1 Male/Female

16.6

| 5W5 Female | ę | 8W8 Fer | nale | |
|------------|---|----------|--|---------------|
| ţ ¢ | | ↓ | $\begin{array}{c c} & & & & \\ \hline \\ \hline$ | |
| | | | 1 | 7W2 Male/Fema |
| | CURRENT RATING 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2 | 6/ØA | | |
| | | | COMBINATI | ON D-SUB |
| | THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. | | EDAC INC TORONTO, ONTAR CANADA YOUR CONNECTION TO QUALITY & SERVIC | OR USED AS TH |

nale








| | | SW REFERENCE NO.: 628 COMBO ASSEMBLY | | | |
|-------------------------------------|--|--------------------------------------|--------------------|-------|--|
| COMBINATION | D-SUB | DRAWN: C.B | DATE: JAN. 01/2019 | | |
| | | CHECKED: | DATE: | | |
| EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND | SCALE: N.T.S | SHEET 3 OF | 4 | |
| TORONTO, ONTARIO CANADA | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE | DRAWING NUMBER: 628W2W | /K2624-2N2 | ISSUE | |
| OUR CONNECTION TO QUALITY & SERVICE | MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | PART NUMBER: 628W2W | /K2624-2N2 | 1 | |


11W1 Male/Female









63.50









 TOLERANCE UNLESS OTHERWISE
 THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25







25W3 Male









36W4 Female




13W3 Male











13W6 Male



43W2 Male






17W5 Female

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female




17W5 Male


COMPLIANT











| | SW REFERENCE NO.: 62 | | | COMBO ASSEMBLY | |
|--|----------------------|--|---------------------------------|------------------|-------|
| | COMBINATION D-SUB | | DRAWN: C.B | DATE: JAN. 01/20 | 19 |
| | | CHECKED: | DATE: | | |
| THIS SERIES FULLY CONFORMS TO | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | SCALE: N.T.S | SHEET 4 OF | 4 |
| THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. | CANADA | | DRAWING NUMBER: 628W2WK2624-2N2 | | ISSUE |
| | | | PART NUMBER: 628W2W | K2624-2N2 | 1 |