In-Line Card Guides PC Tail .0			ail .046x.013(1.17x0.33) - Tail LG=.213(5.41)		A III E	ISSUE NUMBER ORIGINAL
0.500[12.70]	0.156[3	.156 [3.96] Contact Spacing x .200 [  .96]  .96]  .5.312 [134.92]  .5.458 [138.63]  .5.744 [145.90]			SECT	ION A-A
	<u>A</u>				75 [4.45] Point of Contact	
0.473[12.01] -	6.054[153.77]		_	(FI Card S	ROM BTM OF SLOT)  Slot Accepts .054 [1.37] 1 [1.78] Thick P.C. Board	/
0.			307 / 357 Card Edge Connec	 ctor	ACAD REFERENCE NO.	307 ENG MASTE
1		· · · · · · · · · · · · · · · · · · ·			554444	DATE

See Accompanying Pages for:
Contact Bend Details

- **Mounting Options**

Part Number: 307-033-425-178



**EDAC INC** TORONTO, ONTARIO CANADA

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

ACAD REFERENCE NO.	307 ENG MASTER				
DRAWN: J.LEE	DATE: AUG. 11/09				
CHECKED:	DATE:				
SCALE: NTS	SHEET 1 OF 3				
DRAWING NUMBER	ISSUE				
307 Assembly	1				



