



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

ISSUE NUMBER	
ORIGINAL	(1)






NOTES:


MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms




					SW REFERENCE NO.: 627 COMBO ASSEMBLY			
				DRAWN: C.B		DATE: JAN. 01/2019		
				CHECKED:		DATE:		
	EDAC	INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE:	(IN C.A.D. 1:1)	SHEET 1 OF	4	
		TORONTO, ONTARIO CANADA O QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627-24W		7222-1T2	ISSUE	
	YOUR CONNECTION TO QUALITY &			PART NU	MBER: 627-24W	7222-1T2	1	






THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female


7W2 Male/Female





(1)

21W4 Male/Female



627-24W7222-1T2


47.06 23.53 - 14.49 - 14.39 - 14.49 - 14.39 - 14.39		33.30 35.30 35.30 35.30 1.50 9.80 1.50 9.80 9.		63.50 31.75 08 9.70 09 9.70 09 9.70 09 9.70 09 9.70 09 9.70 09 9.70 00 00 00 00 00 000000000000000000000	
	11W	/1 Male/Female	27W2 Male/Femal	e	
8W8 F	emale 31.75 72.97 72.97 9 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 7	33.30 19.85 9.72		83.50 31.75 31.75 44444444 44444444 2	
	170	/2 Male/Female	21W1 Male/Femal	e	
CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2		47.00 23.55 13.85 		47.05 23.65 4 4 4 4 4 4 4 4 4 4 4 4 4	ø
			SW REFERENCE NO.: 627 C	COMBO ASSEMBLY	JAN. 01/2019 3 OF 4 ISSUE
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	AN. 01/2019 3 OF 4 ISSUE
		1	CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 3 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	TORONTO, ONTARIO CANADA	OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 627-24W7222-112 ISSU		
	YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS	PART NUMBER: 627-24W	7222-1T2	1

WITHOUT WRITTEN PERMISSION.


5W5 Male

5W5 Female

COMPLIANT



8W8 Male



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25





9W4 Male



25W3 Male



47.02 23.53 14,51 9.70 7.79 김 영



36W4 Female



13W3 Male





20.70 30.50 13.72 16.62 김 원 2.77






13W6 Male



43W2 Male






.XX ±0.13 .XXX ±0.05


9W4 Female

13W3 Female



43W2 Female

47W1 Female





17W5 Male


COMPLIANT











		SW REFERENCE NO.: 627 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
		CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
	YOUR CONNECTION TO QUALITY & SERVICE		DRAWING NUMBER: 627-24W	7222-1T2	ISSUE
			PART NUMBER: 627-24W	1	







