





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



(1)








NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING





SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms




	COMBINATION D-SUB		SW REFERENCE NO.: 627 COMBO ASSEMBLY		
			DRAWN: C.B	DATE: JAN. 01/201	19
			CHECKED:	DATE:	
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF A PPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627-36W4224-3N5		ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 627-36W4	4224-3N5	1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

FERENCE NO.: 627 C	OMBO ASSEMBLY	
N: C.B	DATE: JAN. 01/20	19
KED:	DATE:	
: (IN C.A.D. 1:1)	SHEET 1 OF	4
ING NUMBER: 627-36W4	4224-3N5	ISSUE
MIMBER: 627 36W/	1224_3N5	1



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female






(1)

1


21W4 Male/Female




47.05 -23.53 -14.49 -14.49 -14.49 -95 -95 -95 -95 -95 -95 -95 -9					- BUB
		11W1 Male/Female	27W2 Male/Femal	e	
47.06 - 14.48 - 14.	8W8 Female 31.70 22.83 22.97 31.70 22.83 22.97 31.70 22.83 22.97 31.70 22.83 22.97 31.70 22.83 22.97 31.70 22.97 31.70 31.70 22.83 22.97 31.70 31.70 22.83 22.97 31.70 22.97 31.70 31.70 22.97 31.70 31.70 22.97 31.70 31.70 22.97 31.70 31.70 22.97 31.70 31.70 22.97 31.70			63.50 31.75 15.24 +++++++ ++++++++++++++++++++++++++++	
		17W2 Male/Female	21W1 Male/Femal	e	
CURRENT RATINO 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	3/ ØA	47.05 23.63 13.85 			æ
			SW REFERENCE NO.: 627 C	OMBO ASSEMBLY	
	COMBINA	TION D-SUB	DRAWN: C.B	DATE: JAN. 01/20)19
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES		ARE THE FROFERTT OF EDAG INC., AND	SCALE: N.T.S		4
	CANADA		DRAWING NUMBER: 627-36W	4224-3N5	ISSUE

5W5 Male


5W5 Female



8W8 Male



т 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25





9W4 Male



25W3 Male



47.02 23.53 14.51 9.70 7.79 김 영



36W4 Female



13W3 Male





20.70 30.50 13.72 16.62 김 의





13W6 Male



43W2 Male





17W5 Female

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female




17W5 Male


COMPLIANT











		SW REFERENCE NO.: 627 COMBO ASSEMBLY			
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20)19
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC	OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE		DRAWING NUMBER: 627-36W4224-3N5		ISSUE
			PART NUMBER: 627-36W	4224-3N5	1