ASSOCIATION CONNECTING LECTRONICS INDUSTRIES	PC. Bannockl	burn. Illinois. A	ll rights reserved untions.	Inder both This level	docume parts, th	ent is a declarati he declaration e	on of the su	ubstances s all lower	within the manufac level materials for	turer listed which the	l item. Not manufactu	te: if the ite urer has en	em is an assem ngineering resp	bly with lower onsibility.
	IPC Web Site for Information on IPC 1752 Standard Form				Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information									
Supplier Information														
Company name*			Company unique ID								Response Date*			
semi Title - Contact				Phone - Contact*						2023-06-08 Email - Contact*				
Product-Env-Stewards Product E			act Enviro Compliance			NA				Produ	Product-Env-Stewards@onsemi.com			
Authorized Representative*			Title - Representative			Phone - Representative*				Email	Email - Representative*			
Product-Env-Stewards	Product Enviro Compliance			NA				Produ	Product-Env-Stewards@onsemi.com					
Requester Item Number	ter Item Number Mfr Item Number		ber Mfr Item Name			Effective Date	Version	N	Manufacturing Site		Weight*	U	JOM	Unit Type
	NCV815 0TCG	NCV8154MTW18028 Dual 300 mA, Low NTCG		w IQ, LDO, wettable	flanks	2023-06-08 MY		/IY1			m	ıg	Each	
Manufacturing Proccess Informa	tion													
Terminal Plating / Grid Array M	Terminal Plating / Grid Array Material Terminal Base Alloy			J-STD-020 MSL Rati	L Rating Peak Process Body Temperature Max Time at Pe				k Temperature Number of Reflow Cycles					
Matte Tin (Sn) - annealed CU Alloy			1		260		С	30	seco	onds 3				
Comments														
level 1 - maximum time at peak temperat	ire during so	ldering is 10-3	0 seconds											
For more information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted								
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.												
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless	otherwise noted).							
Homogeneous Material Weight		Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.4	mg	Supplier	Silicon (Si)	7440-21-3		0.4	mg
Die Attach	0.1	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.032	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.068	mg
Lead Frame 2	2.41	mg	Supplier	Magnesium (Mg)	7439-95-4		0.0036	mg
			Supplier	Silicon (Si)	7440-21-3		0.0157	mg
			В	Nickel (Ni)	7440-02-0		0.0723	mg
			Supplier	Copper (Cu)	7440-50-8		2.3184	mg
Mold Compound-Black	2.98	mg		Epoxy Phenol Resin	proprietary data		0.3129	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		2.6671	mg
Plating	0.07	mg	Supplier	Palladium (Pd)	7440-05-3		0.0044	mg
			В	Nickel (Ni)	7440-02-0		0.0649	mg
			Supplier	Gold (Au)	7440-57-5		0.0007	mg
Wire Bond - Au	0.09	mg	Supplier	Gold (Au)	7440-57-5		0.09	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).