

**TW PRV4 D-A****Weidmüller Interfaces GmbH & Co. KG**

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

info@weidmueller.com

www.weidmueller.com

**Product image**

A partition plate is used for the optical separation of circuits or used for electrical isolation from neighbouring cross-connectors. In contrast to the end plate, the contour can be larger than the adjacent terminal blocks. However, it should not be smaller, as otherwise the required clearance and creepage distances within the application can no longer be maintained.

**General ordering data**

Version	P-series, Partition plate, grey, 2 mm, printed, D-A, horizontally
Order No.	<a href="#">1297890000</a>
Type	TW PRV4 D-A
GTIN (EAN)	4050118099515
Qty.	10 pc(s).

## TW PRV4 D-A

Weidmüller Interfaces GmbH &amp; Co. KG

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

[info@weidmuller.com](mailto:info@weidmuller.com)

## Technical data

[www.weidmuller.com](http://www.weidmuller.com)

1.618 inch

2.756 inch

0.079 inch

## Temperatures

Storage temperature -25 °C...55 °C

Continuous operating temp., max. 125 °C

Continuous operating temp., min. -50 °C

## Material data

Material Polycarbonate

UL 94 flammability rating V-0

Colour grey

## System specifications

Version printed, D-A, horizontally

## Additional technical data

Snap-on Yes

## Classifications

ETIM 6.0 EC000886

ETIM 8.0 EC000886

ECLASS 9.1 27-14-11-33

ECLASS 11.0 27-14-11-92

ETIM 7.0 EC000886

ECLASS 9.0 27-14-11-92

ECLASS 10.0 27-14-11-92

ECLASS 12.0 27-14-11-92

## Approvals

ROHS Conform

## Downloads

Engineering Data [CAD data – STEP](#)Engineering Data [EPLAN, WSCAD, Zuken E3.S](#)User Documentation [StorageConditionsTerminalBlocks](#)Catalogues [Catalogues in PDF-format](#)

**Data sheet**

**TW PRV4 D-A**

**Weidmüller Interfaces GmbH & Co. KG**

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

[info@weidmueller.com](mailto:info@weidmueller.com)

**Drawings**

