


## Data sheet | Item number: 706-3033/202-200

System cable; for Schneider Modicon TM3; 8 digital outputs; Length: 2 m;

Conductor cross-section: 0.14 mm<sup>2</sup>



[www.wago.com/706-3033/202-200](http://www.wago.com/706-3033/202-200)



Color coding acc. to DIN VDE 47100		10 poles flat connector		PLC connector	
		Pin number	Wiring	Pin number	Signal
White		1	0.0	1	OUT0
Brown		2	0.1	2	OUT1
Green		3	0.2	3	OUT2
Yellow		4	0.3	4	OUT3
Grey		5	0.4	5	OUT4
Pink		6	0.5	6	OUT5
Blue		7	0.6	7	OUT6
Red		8	0.7	8	OUT7
Black		9	+24V	9	V+
Violet		10	0V	11	V-

### Data

#### Notes

Note When using more than 10 wires, the maximum current per wire must be reduced to 0.7 A.

#### Electrical data

Inputs/outputs	8 digital outputs
Operating voltage	≤ AC/DC 35 V
Current per wire (max.)	1 A

#### Compatibility

##### Schneider

Schneider Modicon TM3 TM3 DQ8T(G)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Connection data

Cable type	LiYY
Color code	per DIN VDE 47100

## Connection 1

Connector	Pluggable connector per DIN 41651; female connector
Pole number 1	10
Connection type 1	System
Wire cross-section	0.14 mm <sup>2</sup>

## Connection 2

Connector 2	TM3 DQ8T(G)
Pole number 2	11
Connection type 2	System

## Physical data

Cable length	2 m
--------------	-----

## Material Data

Weight	131 g
--------	-------

## Environmental requirements

Ambient temperature (operation)	-20 ... +50 °C
---------------------------------	----------------

## Commercial data

ETIM 8.0	EC000237
ETIM 7.0	EC000237
PU (SPU)	1 pcs
Packaging type	bag
Country of origin	FR
GTIN	4055143623766
Customs tariff number	85444290900

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Environmental Product Compliance

RoHS Compliance Status

Compliant, No Exemption

---

## Downloads

### Documentation

#### System Description

WAGO System Wiring, Selection Guide

pdf  
545.9 kB

[Download](#)

This guide will help you select the appropriate interface modules and system cables for the controller you are using.

---

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 706-3033/202-200

[URL](#)

[Download](#)

System cable; for Schneider Modicon TM3; 8 digital outputs; Length: 2 m; Conductor cross-section: 0.14 mm<sup>2</sup>

---

## Installation Notes

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.