IPC - ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES	© Copyright 2005. IPC,	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.			This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.							
752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute			* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi				rials and Mfg Info	ials and Mfg Information			
upplier Inform	ation											
Company name*			Company unique ID			Unique ID Authority			Response Date*			
onsemi									2023-06-08			
Contact Name			Title - Contact			Phone - Contact*			Email - Contact*			
Product-Env-Stewards			Product Enviro Compliance			NA			Product-Env-Stewards@onsemi.com			
Authorized Representative*			Title - Representative			Phone - Representative*			Email - Repres	Email - Representative*		
Product-Env-Stewards			Product Enviro Compliance			NA NA			Product-Env-Stewards@onsemi.com			
Requester	r Item Number	Mfr Item Numbe	er Mfr Item Name	Mfr Item Name		Effective Date	Version	Manufacturing Site	Weight	* UOM	Unit Type	
		NCP6343AVFC	CT1G 3 Amp DCDC C	onverter		2023-06-08		MY1	3.26808	39 mg	Each	
Ianufacturing I	Proccess Information	n								·		
Terminal F	Terminal Plating / Grid Array Material Terminal Base Alloy J-ST			J-STD-020 MS	L Rating Peak Process Body Temperature Max Time at Peak Temperature Number of Reflow Cycles						cles	
SnAgCu		CU Alloy	U Alloy 1			260 C 30		seconds 3				
omments												
vel 1 - maximum ti	me at peak temperature	during soldering i	is 10-30 seconds									
or more informatio	on regarding material cor	nposition please r	refer to page 3									

RoHS Material Composition Declaration			Declaration Type *	Detail	led					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybromir contains a RoHS restricted substance inexce encompass all such components. Supplier ce as of the date that Supplier completes this fo Company acknowledges that Supplier may l independently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated dipless of an applicable quantity limit, please intifies that it gathered the information it prome. Supplier acknowledges that Company have relied on information provided by other by others, Supplier agrees that, at a mining and the Supplier enter into a written agree esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substational substance below which, if any, RoHS exemption by desired in this form using appropriate method will rely on this certification in determining ters in completing this form, and that Supplies have provided certification between the will respect to the identified part, the Company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects the company is the company that the company tha	ws of the European Union member states) of the pnce") in excess of the applicable quantity limit iden you believe may apply. If the part is an assemble is to ensure its accuracy and that such information the compliance of its products with European Union may not have independently verified such informs regarding their contributions to the part, and tho terms and conditions of that agreement, including the provides in this formation information the Supplier provides in this formation.	entified above. If a y with lower level is true and correct on member state la nation. However, in se certifications are any warranty rigl	n homogeneous material within the part components, the declaration shall t to the best of its knowledge and belief, aws that implement the RoHS Directive. In situations where Supplier has not e at least as comprehensive as the hts and/or remedies provided as part of					
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substa	ances per the definition above	Supplier Ac	cceptance *	Accepted					
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.										
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructional Complete all of the required	fields on all neggs of this form. Calcut th		a duan dawn. This will display the signature on	a Digitally sign	the declaration (if recurined by the					
Instructions: Complete all of the required Requester) and click on Submit Form to			e drop-down. This will display the signature ar	ea. Digitally sign	the declaration (if required by the					

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Backside Protection Film	0.11333	mg		Epoxy resin	proprietary data		0.0237	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0021	mg
			Supplier	Acrylic resins	Proprietary Data		0.0237	mg
			Supplier	Silica (SiO2)	14464-46-1		0.0638	mg
Die	2.03583	mg	Supplier	Silicon (Si)	7440-21-3		2.0358	mg
Protection coat	0.031307	mg		Polyimide	proprietary data		0.0313	mg
Solder Ball	1.08689	mg	Supplier	Silver (Ag)	7440-22-4		0.0435	mg
			Supplier	Tin (Sn)	7440-31-5		1.038	mg
			Supplier	Copper (Cu)	7440-50-8		0.0054	mg
Under Bump Metal	7.32E-4	mg	Supplier	Copper (Cu)	7440-50-8		0.0007	mg