



# Product: <u>5302F1</u> ☑

Security & Sound, #18-4c, TC, Shielded, CMG-FPL-PLTC, Water-Blocked

# **Product Description**

Security & Sound Cable, Rated-CMG-FPL-PLTC, 4-18 AWG stranded tinned copper conductors with PVC insulation, waterblocking tape, Beldfoil® shield and PVC jacket

## **Technical Specifications**

#### **Product Overview**

	ications:	Security Sys	stem, Interco	m/PA, Audio/Speaker, Powe	r-Limited Controls, Noisy & V	/et Location, Below-Grade Duct	
onstruct	ion Details						
Conductor							
Element	Number of Element	Size	Stranding	Material			
Conductor(s)	4	18 AWG	7x26	TC - Tinned Copper			
nsulation							
Element	Material	Nom.	Thickness	Nom. Insulation Diameter	Color Code		
Conductor(s)	PVC - Polyvinyl Chlor	ide 0.010 i	n (0.25 mm)	0.066 in (1.7 mm)	Black, White, Red, Green		
Outer Shield							
Shield Type	Material	Cover	age Drait	wire Type			
Tape	Bi-Laminate (Alum+Po			G (7x28) TC			
		••					
Waterblocking	J.	Waterblock	таре				
Duter Jacket							
Mater	rial Nom. Thi	ckness	Nom. Diam	eter			
PVC - Polyvir	nyl Chloride 0.037 in (0	0.94 mm) 0	0.259 in (6.58	3 mm)			
Overall Cable	Diameter (Nominal):	0.259 in (6.5	58 mm)				
Electrical	Characteristics						
lectrical	Characteristics						
lectricals							
Element	Nom. Conductor DC	R Nom. C	apacitance	Cond-to-Cond			
Conductor(s) 6.6 Ohm/1000ft 40 pF/ft (130 pF/m)							
/oltage							
UL Voltage Rating 300 V (CMG, FPL, PLTC-ER)							
300 V (CMG,	FPL, PLIC-ER)						

### Temperature

UL Temperature	Operating	
105°C	-30°C to +105°C	

Bend Radius

Stationary Min. Installation Min.

2.6 in (66 mm) 2.6 in (66 mm)						
Max. Pull Tension:	102 lbs (46.3 kg)					
Bulk Cable Weight:	45 lbs/1000ft					

### **Standards and Compliance**

Environmental Suitability:	Water Exposure/Below-Grade Conduit, Indoor, Outdoor, Sunlight Resistance, Burial
Flammability / Reaction to Fire:	UL 1685 FT4 Loading, FT4, IEEE 1202
CPR Compliance:	CPR Euroclass: Eca
NEC / UL Compliance:	Article 725, Article 760, Article 800, CMG, FPL, PLTC
CEC / C(UL) Compliance:	CMG
European Directive Compliance:	EU CE Mark, EU Directive 2015/863/EU (RoHS 2 amendment), EU Directive 2011/65/EU (RoHS 2), EU Directive 2012/19/EU (WEEE)
UK Regulation Compliance:	UKCA Mark
APAC Compliance:	China RoHS II (GB/T 26572-2011)

#### **History**

Update and Revision: Revision Number: 0.458 Revision Date: 04-14-2023

**Part Numbers** 

#### Variants

Item #	Color	Putup Type	Length	UPC
5302F1 0101000	Black	Reel	1,000 ft	612825159599
5302F1 0021000	Red	Reel	1,000 ft	612825159582

© 2023 Belden, Inc

All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.