




THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER

ORIGINAL

(1)





NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, GOLD FLASH PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	-		DRAWN: C.B	DATE: JAN. 01/20	19
			CHECKED:	DATE:	
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628W3WK3222-4N2		ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628W3W	K3222-4N2	1






THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female






(1)

21W4 Male/Female




W2 Male/Female



W1 Male/Female

		N S T T T T T T T T T T T T T T T T T T	
	11\	V1 Male/Female	270
8W8 Fe	male		
23.63 		33.30 10.60 9.70	46 241
	17\	V2 Male/Female	21V
CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2		47.05 23.63 13.85 	
			SW REFERENC
	COMBINATIO	N D-SUB	DRAWN: C.B
			CHECKED:
ES FULLY CONFORMS TO		THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED OR COPIED	SCALE: N.T.S
		I SHALL NUT BE REPRODUCED OR COPIED	

COMPLIANT






SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.


SW REFERENCE NO.: 628 C			
DRAWN: C.B	DATE: JAN. 01/20	19	
CHECKED:	DATE:		
SCALE: N.T.S	SHEET 3 OF	4	
DRAWING NUMBER: 628W3WI	RAWING NUMBER: 628W3WK3222-4N2		
PART NUMBER: 628W3W	1		

5W5 Male


5W5 Female



8W8 Male



63.50



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.



25W3 Female


36W4 Female







25W3 Male






47.02 23.53 14.51 9.70 7.79 김 영






13W3 Male











30.50 20.70 16,62 13.72 15.24 \$.74 2.77

13W6 Male




43W2 Male






17W5 Female



43W2 Female


47W1 Female



17W5 Male



47W1 Male





22,15 20.78 2.77

	COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY		
			DRAWN: C.B	DATE: JAN. 01/201	19
			CHECKED:	DATE:	
ORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S	SHEET 4 OF	4
RECTIVES MPLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628W3WK3222-4N2		ISSUE
VI LIANCT.			PART NUMBER: 628W3W	/K3222-4N2	1



THIS SERIES FULLY CONFO THE EUROPEAN UNION DIRI 2011/65/EU FOR RoHS COMP



13W6 Female

.X ±0.25 .XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female

