
THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER

(1)

ORIGINAL





NOTES:


MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


.X ±0.25 .XX ±0.13

.XXX ±0.05

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms




	COMBINATION D-SUB			SW REFERENCE NO.: 630 COMBO ASSEMBLY					
C				DRAWN: C.B			DATE: JAN. 01/2019		
				CHECKED:		DATE:			
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE:	(IN C.A.D. 1:1	I)	SHEET	1	OF	4
	TORONTO, ONTARIO CANADA O QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 630-24W7			7640-3TC			ISSUE
YOUR CONNECTION TO QU			PART NUM	/BER:	630-24W7	7640-3TC	;		1





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female

24W7 Male/Female


21W4 Male/Female



ISSUE NUMBER

 $\overline{(1)}$

5W5 Male




PCB EDGE

8W8 Male




PCB EDGE




POB EDGE

PCB EDGE

27W2 Male/Female




21W1 Male/Female



		SW REFERENCE NO.: 630 COMBO ASSEMBLY					
COMBINATION	DRAWN: C.B	DATE: JAN. 01/2019					
	CHECKED:	DATE:					
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S	SHEET 3 OF	4			
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 630-24W	7640-3TC	ISSUE			
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 630-24W	7640-3TC	1			

5W5 Female




8W8 Female



17)4/2 54-1-


17W2 Male/Female

11W1 Male/Female




THIS SERIES FULLY CONFORMS TOTHE EUROPEAN UNION DIRECTIVES2011/65/EU FOR RoHS COMPLIANCY.





CURRENT RATING / ØA

10A / 2.2 20A / 3.3



 TOLERANCE UNLESS OTHERWISE
 THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25















13W3 Male





25W3 Male





24.77

13W3 Female



31.75

36W4 Female



13W6 Male





0.50

2.77

22,16

20.78

13W6 Female

.XX ±0.13 .XXX ±0.05

43W2 Female



17W5 Male


COMPLIANT















PCB EDGE



		SW REFERENCE NO.: 630 COMBO ASSEMBLY				
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19		
			CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4	
	EDAC INC TORONTO, ONTARIO CANADA		DRAWING NUMBER: 630-24W7	7640-3TC	ISSUE	
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 630-24W	7640-3TC	1	



PCB EDGE

20.70

13.72