	N CONNECTING S INDUSTRIES® MALE TALES MALE TALES MALE TALES MALE TALES MALE TALE MALE TALE MALE TALE MALE TALE MALE TALE COMP	osition Dec PC, Bannockb n-American co	claration ourn, Illinois. A opyright conve	All rights reserved u ntions.	nder both	This docume level parts, t	ent is a declara he declaration	ation c i encoi	of the substances mpasses all lowe	within the r level ma	e manufactur aterials for wi	er listed i hich the n	tem. Note nanufactu	e: if the item is an irer has engineerin	assembly with lowe ng responsibility.
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materia					als and Mfg Information					
Supplie	r Information														
Company name* Company u				ny unique ID			Unique ID Authority					Response Date*			
onsemi												2023-06-08			
Contact Name			Title - Contact]	Phone - Contact*					Email - Contact*			
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Authorize	ed Representative*		Title - Representative]	Phone - Representative*				Email - Representative*				
Product-l	Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
	Requester Item Number	Number Mfr Item Name 3WS-E LCD Display Driver				Effective Date Version Man		Manufacturing Site			Weight*	UOM	Unit Type		
	LC75878					2023-06-08	8 PHM			650.0 mg		Each			
Aanufa	cturing Proccess Informa	tion													
	Terminal Plating / Grid Array Material		Ferminal Base Alloy J-STD-020		-STD-020 MSI	L Rating	Peak Process Body Ter		Body Temperatu	erature Max Time at Peak		Temperat	ure Nu	mber of Reflow C	Cycles
contains Bi			CU Alloy 4				260 C 30			seconds 3					
Comments	3														
or more	information regarding material	composition	please refer to	o page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU												
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	21.52	mg	Supplier	Silicon (Si)	7440-21-3		21.52	mg
Die Attach	4.54	mg	Supplier	Silver (Ag)	7440-22-4		3.089	mg
			Supplier	Epoxy resins	129915-35-1		1.313	mg
			Supplier	Other Metal Oxide	Proprietary Data		0.099	mg
			В	Antimony Pentoxide (Sb2O5)	1314-60-9		0.039	mg
Lead Frame	150.94	mg	Supplier	Silver (Ag)	7440-22-4		0.9358	mg
			Supplier	Chromium (Cr)	7440-47-3		0.1358	mg
			Supplier	Manganese (Mn)	7439-96-5		1.1924	mg
			Supplier	Silicon (Si)	7440-21-3		0.4377	mg
			В	Nickel (Ni)	7440-02-0		62.2477	mg
			Supplier	Iron (Fe)	7439-89-6		85.9754	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0151	mg
Mold Compound-Black	461.28	mg		Organic Phosphorus compound	proprietary data		6.4579	mg
			Supplier	Epoxy Phenol Resin	Proprietary Data		37.825	mg
			Supplier	Carbon Black (C)	1333-86-4		0.9226	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		416.0745	mg
Plating	6.0	mg	В	Bismuth (Bi)	7440-69-9		0.036	mg
			Supplier	Tin (Sn)	7440-31-5		5.964	mg
Wire Bond - Au	5.72	mg	Supplier	Gold (Au)	7440-57-5		5.72	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).