



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	B	ECO-20-017853: G-CONTACT TAIL GOLD FLASH	18DEC2020	A.L	H.L





AS SHOWN: TYPE-1




D-D (SCALE 2:1)



E-E (SCALE 2:1)



DETAIL C (SCALE 1:1)



SEALANT	TOOLING STATUS	ROW	QTY	BB	AA	POS.	PART NO.
SEALANT	NOT AVAILABLE	3	18	70	54.7	320	6-5353729-1
	NOT AVAILABLE	↑	↑	↑	48.7	280	6-↑-0
	NOT AVAILABLE	↓	↓	↓	42.7	240	5-↓-9
	NOT AVAILABLE	3	18	70	36.7	200	5-5353729-8
NON SEALANT	NOT AVAILABLE	3	18	70	54.7	320	1-5353729-1
	AVAILABLE	↑	↑	↑	48.7	280	1-↑-0
	NOT AVAILABLE	↓	↓	↓	42.7	240	↓-9
	NOT AVAILABLE	3	18	70	36.7	200	5353729-8

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN	17NOV04	LEO ZHOU
CHK	17NOV04	STEVEN YAO
APVD	17NOV04	I.ENOMOTO
PRODUCT SPEC	108-60047	製品規格
APPLICATION SPEC	114-5255	取付適用規格
WEIGHT		
CUSTOMER DRAWING		

TE Connectivity Ltd.			
SOFT TRAY ASSY FH 0.6BTB CONNECTOR REC 4H W/G-CONT 2ROW TYPE			
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	G=5353729	
SCALE	SHEET	REV	
尺度 1:2	1 of 3	B	

GENERAL TOLERANCE 一般公差

10 ≥	±0.2
30 ≥	>10: ±0.25
100 ≥	>30: ±0.3
ANGLES: ±3°	

DIMENSIONS: 單位: 耗 mm



TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差

0 PLC	±-
1 PLC	±-
2 PLC	±-
3 PLC	±-
4 PLC	±-
ANGLES	±-

MATERIAL 材料

FINISH 仕上

REVISIONS				
変更				
P	LTR	DESCRIPTION	DATE	DWN APVD
-	-	SEE SHEET 1	-	-



REFERENCE P.C. BOARD LAYOUT

- ① MATERIAL ; HOUSING : HIGH TEMP THERMO PLASTIC UL94V-0  
CONTACT : COPPER ALLOY
- ② FINISH ; UNDER PL Ni 0.0013mm MIN ALL OVER.  
CONTACT AREA 0.0002 MIN Au PL.  
SOLDERING AREA  
SIGNAL POS: 0.00005 MIN Au PL.  
GROUND POS: 0.00005 MIN Au PL.
- ③ THIS POSITION IS GROUND CIRCUIT.
- ④ CAP HOUSING FOR ONLY 280P HAS THIS ORIENTATION FEATURE.
- ⑤ TRAY TYPE-1 AND TYPE-2 MUST BE PILED UP BY TURNS.  
(REFER TO PACKING SPECIFICATIONS)

NOT AVAILABLE	52.6	51.8	50.6	47.4	50	54.7	54.7	320	1-5353729-1 & 6-5353729-1
AVAILABLE	46.6	45.8	44.6	41.4	44	48.7	48.7	280	1- -0 & 6- -0
NOT AVAILABLE	40.6	39.8	38.6	35.4	38	42.7	42.7	240	-9 & 5- -9
AVAILABLE	34.6	33.8	32.6	29.4	32	36.7	36.7	200	5353729-8 & 5-5353729-8
TOOLING STATUS	G	F	E	D	C	B	A	POS	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: 单位: 耗 mm

TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差

0 PLC ± -  
1 PLC ± -  
2 PLC ± -  
3 PLC ± -  
4 PLC ± -  
ANGLES ± -

FINISH 仕上

DWN  
CHK  
APVD

PRODUCT SPEC 製品規格  
APPLICATION SPEC 取付適用規格

WEIGHT

CUSTOMER DRAWING

NAME 名称  
SOFT TRAY ASSY  
FH 0.6BTB CONNECTOR  
REC 4H W/G-CONT 2ROW TYPE

SIZE A3 CAGE CODE 00779 DRAWING NO. 5353729

RESTRICTED TO

SCALE 尺度 2:1 SHEET 2 OF 3 REV B


4

3


2

1


REVISIONS					
変更					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-




280P



240P



320P



200P

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	<b>TE</b> TE Connectivity Ltd.		
DIMENSIONS: 單位: 耗 mm		CHK			
TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差		APVD	SOFT TRAY ASSY FH 0.6BTB CONNECTOR REC 4H W/G-CONT 2ROW TYPE		
0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -		PRODUCT SPEC 製品規格	SIZE A3	CAGE CODE 00779	DRAWING NO 番号 G=5353729
MATERIAL 材料	FINISH 仕上	APPLICATION SPEC 取付適用規格	WEIGHT	RESTRICTED TO	
CUSTOMER DRAWING			SCALE 尺度 3:1	SHEET 3 OF 3	REV B