Kit Components
Description
Triggerbond® T50-3112GR Epoxy Resin & Polyamine Formulation
50-3112RBK
50-3112CWH

BT-301-200M

Wakefield Vette Part Number:







Printing date 05/01/2015 Reviewed on 04/02/2015

1 Identification

- · Product identifier
- · Trade name: 50-3112RBK
- · Article number: Epoxy Resin Formulation
- · Relevant identified uses of the substance or mixture and uses advised against


· Manufacturer/Supplier:

Epoxies, Etc. 21 Starline Way Cranston, RI 02921 USA

General Telephone: 401-946-5564

· Information department: Product safety department.

· Emergency telephone number: Domestic: 800-255-3924 International: +01-813-248-0585



2 Hazard(s) identification

· Classification of the substance or mixture



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms GHS07
- · Signal word Warning
- · Hazard-determining components of labeling:

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight \leq 700)

· Hazard statements

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves.

Wear eye protection / face protection.

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)

Printing date 05/01/2015 Reviewed on 04/02/2015

Trade name: 50-3112RBK

(Contd. of page 1)

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 1Fire = 1

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

25068-38-6 reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular 25-50% $weight \leq 700$)

4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Call a doctor immediately.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Seek immediate medical advice.

A person vomiting while lying on their back should be turned onto their side.

DO NOT attempt to give anything by mouth to an unconscious person.

- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)

Printing date 05/01/2015 Reviewed on 04/02/2015

Trade name: 50-3112RBK

(Contd. of page 2)

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Do not inhale explosion gases or combustion gases.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Keep people at a distance and stay upwind.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Store at ambient temperature 25 C.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Stoor indoors.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

Printing date 05/01/2015 Reviewed on 04/02/2015

Trade name: 50-3112RBK

(Contd. of page 3)

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· **Body protection:** Protective work clothing

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

· Flash point:

Form: Liquid

Color: According to product specification

· Odor: Mild

· Odour threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined. Boiling point/Boiling range: 261 °C (502 °F) 249 °C (480 °F)

· Flammability (solid, gaseous): Not applicable.

(Contd. on page 5)

Printing date 05/01/2015 Reviewed on 04/02/2015

Trade name: 50-3112RBK

	(Contd	. of page
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wa	ter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Avoid elevated temperatures.

· Possibility of hazardous reactions

Reacts with amines.

Reacts with catalysts, oxidizing agents and strong alkali.

Hazardous polymerization may occur if mixed with amines in large masses and/or with heat.

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Strong acids, strong bases, strong oxidizers, amines, and mercaptans.
- · Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Unknown hydrocarbons.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.

(Contd. on page 6)

Printing date 05/01/2015 Reviewed on 04/02/2015

Trade name: 50-3112RBK

(Contd. of page 5)

- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (Inte	rnational Agency for Research on Cancer)		
7631-86-9	silicon dioxide, chemically prepared	3	
1333-86-4	Carbon black wetted form, non-particulate	2 <i>B</i>	
· NTP (Natio	· NTP (National Toxicology Program)		
None of the	None of the ingredients is listed.		
· OSHA-Ca	· OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients is listed.			

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation:

Disposal must be made according to official regulations.

Dispose of in accordance to all local, state, and/or national regislation.

I IC A

Printing date 05/01/2015 Reviewed on 04/02/2015

Trade name: 50-3112RBK

(Contd. of page 6)

Transport information	
· UN-Number · DOT · ADR, IMDG, IATA	Not Applicable UN3082
· · · · · · · · · · · · · · · · · · ·	0.10002
· UN proper shipping name · DOT	Not Applicable
· ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUI
· IMDG	N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resonante (number average molecular weight ≤ 700)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUI N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resonante (number average molecular weight ≤ 700)), MARINE POLLUTAN
· IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUI N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resumber average molecular weight ≤ 700))
· Transport hazard class(es)	
· DOT	
· Class	Not Applicable
· Class · Label	9 Miscellaneous dangerous substances and articles 9
· Packing group · DOT	Not Applicable
· ADR, IMDG, IATA	III
· Environmental hazards:	Product contains environmentally hazardous substances: reacti product: bisphenol-A-(epichlorhydrin) epoxy resin (number avera molecular weight \leq 700)
· Marine pollutant:	Yes Symbol (fish and tree)
· Special marking (ADR): · Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)
· Special precautions for user · Danger code (Kemler): · EMS Number:	Warning: Miscellaneous dangerous substances and articles 90 F-A,S-F
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	Not applicable.
· Transport in bulk according to Annex MARPOL73/78 and the IBC Code · Transport/Additional information:	Not applicable.
MARPOL73/78 and the IBC Code	Not applicable.

Printing date 05/01/2015 Reviewed on 04/02/2015

Trade name: 50-3112RBK

(Contd. of page 7)

· UN "Model Regulation":

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight \leq 700)), 9, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

1333-86-4 Carbon black wetted form, non-particulate

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

1333-86-4 Carbon black wetted form, non-particulate

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

1333-86-4 Carbon black wetted form, non-particulate

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms GHS07
- · Signal word Warning
- · Hazard-determining components of labeling:

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight \leq 700)

· Hazard statements

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves.

(Contd. on page 9)

(Contd. of page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/01/2015 Reviewed on 04/02/2015

Trade name: 50-3112RBK

Wear eye protection / face protection.

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The information given and the recomendations made herein apply to our product alone and are not combined with other product(s). Such are based on our research and on data from other reliable sources and are believed to be accurate. No guarantee of accuracy is made. It is the user's responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes.

- · Department issuing SDS: Product safety department.
- · Contact: Paul C. Harrington
- · Date of preparation / last revision 05/01/2015 / -
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

IISA ·

EPOXIES

Safety Data Sheet acc. to OSHA HCS

Printing date 05/01/2015 Reviewed on 04/02/2015

1 Identification

- · Product identifier
- · Trade name: 50-3112CWH
- · Article number: Polyamine Formulation
- Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Epoxies, Etc. 21 Starline Way Cranston, RI 02921 USA

General Telephone: 401-946-5564

- · Information department: Product safety department.
- · Emergency telephone number: Domestic: 800-255-3924 International: +01-813-248-0585

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Repr. 2 H361 Suspected of damaging fertility or the unborn child.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms GHS05, GHS07, GHS08
- · Signal word Danger
- · Hazard-determining components of labeling:

4-nonylphenol, branched

2-piperazin-1-ylethylamine

· Hazard statements

Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

(Contd. on page 2)

Printing date 05/01/2015 Reviewed on 04/02/2015

Trade name: 50-3112CWH

(Contd. of page 1)

Read label before use.

Do not breathe dusts or mists.

Wear protective gloves.

Wear eye protection / face protection.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

If swallowed: Call a poison center/doctor if you feel unwell.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Wash contaminated clothing before reuse.

IF exposed or concerned: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

If swallowed: Rinse mouth. Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *3 *Fire* = 1

Reactivity = 0

· Other hazards

Additional Health Hazards: Corrosive to the eyes, skin, and respiratory tract. May be toxic if absorbed through skin.

Inhalation: May cause severe eye, skin, and respiratory tract burns. May cause nose, throat, and lung irritation. Inhalation of vapors and/or aerosols in high concentration may cause irritation of the respiratory system.

Eye Contact: Causes eye burns. May cause blindness. Severe eye irritation.

Skin contact: Causes skin burns.

Ingestion: Causes Severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

- IIS

Printing date 05/01/2015 Reviewed on 04/02/2015

Trade name: 50-3112CWH

(Contd. of page 2)

3 Composition/information on ingredients

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
84852-15-3	4-nonylphenol, branched	25-50%	
140-31-8	2-piperazin-1-ylethylamine	10-25%	

[·] Additional information: Chemical Family: Aliphatic Amine Mixture

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately remove contaminated clothing, and any extraneous chemical, if possible to do so without delay. Initiate and maintain gentle and continuous irrigation with water until the patient receives medical care. If medical care is not promptly available, continue to iirigate (use soap if available) for one hour. Cover the wound with sterile dressing. Take off contaminated clothing and shoes immediately. Do not reuse clothing until thoroughly cleaned.

NOTE TO PHYSICIANS: Application of corticosteroid cream has been effective in treating skin irritation.

· After eye contact:

Hold eyelids apart, initiate and maintain gentle and continuous irrigation of the eye with water until the patient receives medical care. If medical care is not promptly available, conitinue to irrigate for one hour. Rinse immediately with plenty of water also under the eyelids for atleast 20 minutes.

· After swallowing:

Never give anything by mouth to an unconsciuos person. Do not induce vomiting. Give one glass of water unless victim is drowsy, convulsing, or unconscious. Seek medical attention immediately.

- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· For safety reasons unsuitable extinguishing agents:

Do not use water in a jet. Product will float. Water or fog may cause frothing which can be violent, especially if sprayed into containers of hot or burning liquid.

· Special hazards arising from the substance or mixture

Material will not burn unless preheated. Delayed lung damage (pulmonary edema) can be experienced after exposure to combustion products, sometimes hours after the exposure. May generate ammonia gas, toxic nitrogen oxide gasess and other potentially hazardous nitrogen-containing compounds may be released upon combustion.

Use of water to fight fire may result in the formation of very toxic aqueous solutions. Incomplete combustion may form carbon monoxide. Downwind personnel must be evacuated. Burning produces obnoxious and toxic fumes.

(Contd. on page 4)

Printing date 05/01/2015 Reviewed on 04/02/2015

Trade name: 50-3112CWH

(Contd. of page 3)

Cool fire exposed containers with water.

- · Advice for firefighters
- · Protective equipment:

Do not enter confined fire space without full bunker gear (helmet with face shield, bunker coats, gloves, and rubber boots) including a positive pressure NIOSH approved self-contained breathing apparatus.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Corrosive. Use self-contained breathing apparatus and chemically protective clothing. Evacuate personnel to safe areas. Use cautious judgement when cleaning up large spills. Shut off leaks, if possible without personal risk.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

DANGER: Corrosive

Avoid contact with skin and eyes. Emergency Showers and eye wash stations should be readily accessible. Use only in well-ventilated areas. Avoid breathing vapors and/or aerosols.

Heating this product above 300 Deg. F in the presence of air may cause slow oxidative decomposition; above 500 Deg. F, polymerization may occur. Some epoxy resins can produce exothermic reactions which in large masses can cause runaway polymerization. Fumes and vapors from these thermal and chemical decomposition may be extremely toxic. Use either an atmosphere-supplying respirator or an air-purifying respirator for organic vapors.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool, dry place with adequate ventilation. Keep away from open flames and high temperatures.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 5)

Printing date 05/01/2015 Reviewed on 04/02/2015

Trade name: 50-3112CWH

· Specific end use(s) No further relevant information available.

(Contd. of page 4)

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Full face shields with tightly sealed goggles underneath. Contact lenses should not be worn.

· Body protection: Impervious protective clothing

USA

Printing date 05/01/2015 Reviewed on 04/02/2015

Trade name: 50-3112CWH

(Contd. of page 5)

	(Colid. of p
	urt an
Physical and chemical proper	rties
Information on basic physical and	chemical properties
General Information	• •
Appearance:	
Form:	Liquid
Color:	According to product specification
Odor:	Amine-like
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	220 °C (428 °F)
Flash point:	116 °C (241 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	315 °C (599 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	2.1 Vol %
Upper:	10.5 Vol %
Vapor pressure at 20 °C (68 °F):	1 hPa (1 mm Hg)
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	ter): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	0.0 %
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Hazardous polymerization may occur with epoxy resins in large masses.
- · Conditions to avoid No further relevant information available.

(Contd. on page 7)

Printing date 05/01/2015 Reviewed on 04/02/2015

Trade name: 50-3112CWH

(Contd. of page 6)

· Incompatible materials:

Sodium hypochlorite, lewis or mineral acids, Organic bases such as primary and secondary aliphatic amines, ketones, aldehydes, and oxidizing agents. Reaction with peroxides may result in violent decomposition of peroxide possibly creating an explosion. A reaction accompanied by large heat release occurs when the product is mixed with acids.

· Hazardous decomposition products:

Nitrogen oxides, ammonia, carbon monoxide and unidentified organic compounds (some containing nitrogen) may be formed during thermal or oxidative decomposition or combustion. Nitrogen oxide can react with water vapors to form corrosive nitric acid.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC5	· LD/LC50 values that are relevant for classification:		
84852-1	84852-15-3 4-nonylphenol, branched		
		580 mg/kg (rat)	
		2140 mg/kg (rabbit)	
140-31-	140-31-8 2-piperazin-1-ylethylamine		
		2140 mg/kg (rat)	
Dermal	LD50	880 mg/kg (rabbit)	

- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- $\cdot \textbf{\textit{Sensitization:}} \ Sensitization \ possible \ through \ skin \ contact.$
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)			
7631-86-9	silicon dioxide, chemically prepared	3	
13463-67-7	titanium dioxide wetted form, non-particulate	2B	
· NTP (Natio	· NTP (National Toxicology Program)		
None of the	None of the ingredients is listed.		
· OSHA-Ca (Occupational Safety & Health Administration)			
None of the ingredients is listed.			

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 8)

Printing date 05/01/2015 Reviewed on 04/02/2015

Trade name: 50-3112CWH

(Contd. of page 7)

- · Ecotoxical effects:
- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation:

Disposal must be made according to official regulations.

Dispose of in accordance to all local, state, and/or national regislation.

14 Transport information

UN1760
CORROSIVE LIQUID, N.O.S. (4-nonylphenol, branched, N-
AMINOETHYLPIPERAZINE) 1760 CORROSIVE LIQUID, N.O.S. (4-nonylphenol, branched, N-
AMINOETHYLPIPERAZINE), ENVIRONMENTALLY HAZARDOUS CORROSIVE LIQUID, N.O.S. (4-nonylphenol, branched, N-AMINOETHYLPIPERAZINE), MARINE POLLUTANT

- · Transport hazard class(es)
- $\cdot DOT$





· Class 8 Corrosive substances

· Label

(Contd. on page 9)

Printing date 05/01/2015 Reviewed on 04/02/2015

Trade name: 50-3112CWH

(Contd. of page 8)

· ADR, IMDG





· Class 8 Corrosive substances

· Label

 \cdot IATA



· Class 8 Corrosive substances

· Label

· Packing group

· DOT, ADR, IMDG, IATA III

• Environmental hazards: Product contains environmentally hazardous substances: 4-

nonylphenol, branched

· Marine pollutant:

Symbol (fish and tree)
• Special marking (ADR):

Symbol (fish and tree)

· Special precautions for user Warning: Corrosive substances

· Danger code (Kemler): 80 · EMS Number: F-A,S-B

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

 $\cdot DOT$

• **Remarks:** Special marking with the symbol (fish and tree).

• UN ''Model Regulation'': UN1760, CORROSIVE LIQUID, N.O.S. (4-nonylphenol, branched, N-AMINOETHYLPIPERAZINE), ENVIRONMENTALLY

HAZARDOUS, 8, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

(Contd. on page 10)

Printing date 05/01/2015 Reviewed on 04/02/2015

Trade name: 50-3112CWH

(Contd. of page 9)

· Proposition 65

· Chemicals known to cause cancer:

13463-67-7 titanium dioxide wetted form, non-particulate

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

13463-67-7 titanium dioxide wetted form, non-particulate

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

13463-67-7 titanium dioxide wetted form, non-particulate

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms GHS05, GHS07, GHS08
- · Signal word Danger

· Hazard-determining components of labeling:

4-nonylphenol, branched

2-piperazin-1-ylethylamine

· Hazard statements

Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Do not breathe dusts or mists.

Wear protective gloves.

Wear eye protection / face protection.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

If swallowed: Call a poison center/doctor if you feel unwell.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Wash contaminated clothing before reuse.

IF exposed or concerned: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

(Contd. on page 11)

Printing date 05/01/2015 Reviewed on 04/02/2015

Trade name: 50-3112CWH

(Contd. of page 10)

If swallowed: Rinse mouth. Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The information given and the recommendations made herein apply to our product alone and are not combined with other product(s). Such are based on our research and on data from other reliable sources and are believed to be accurate. No guarantee of accuracy is made. It is the user's responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes.

- · Department issuing SDS: Product safety department.
- · Contact: Paul C. Harrington
- · Date of preparation / last revision 05/01/2015 / -
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Repr. 2: Reproductive toxicity, Hazard Category 2

- USA