



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.








NOTES:

MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

0					F	0

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms




	SW REFERENCE NO.: 629 COMBO ASSEMBLY				
COMBINATION	DRAWN: C.B	DATE: JAN. 01/2019			
	CHECKED:	DATE:			
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 629-25W	3240-2TE	ISSUE	
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 629-25W	3240-2TE	1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

REFERENCE NO.:	629 COMBO ASSEMBLY





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





ISSUE NUMBER

ORIGINAL

 $\overline{(1)}$

5W5 Male

5W5 Female



PCB EDGE

PCB EDGE

8W8 Male



PCB EDGE



PCB EDGE

11W1 Male/Female

21W4 Male/Female



27W2 Male/Female



21W1 Male/Female




		SW REFERENCE NO.: 629 COMBO ASSEMBLY				
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19		
			CHECKED:	DATE:		
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S	SHEET 3 OF	4	
		SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 629-25W	3240-2TE	ISSUE	
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 629-25W	3240-2TE	1	


8W8 Female

CURRENT RATING / ØA

10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2



17W2 Male/Female




PCB EDGE



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.


THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.















13W3 Male






25W3 Male







31.75

36W4 Female



13W6 Male





22.18

2.77

20.78

13W6 Female

13W3 Female

.X ±0.25 .XX

±0.13 .XXX ±0.05

43W2 Female




17W5 Male


COMPLIANT

















PCB EDGE

20.7

13.72















PCB EDGE

PCB EDGE

24,77

